




PRODUCT-DETAILS

080SP8  
080SP8 Enclosure



| General Information   |                                                                           |
|-----------------------|---------------------------------------------------------------------------|
| Extended Product Type | 080SP8                                                                    |
| Product ID            | 1SFA170807R1008                                                           |
| EAN                   | 7320500520291                                                             |
| Catalog Description   | 080SP8 Enclosure                                                          |
| Long Description      | 8-HOLE ENCLOSURE NORMAL SOCLE WITH HOLES WITH CONDUIT ENTRY GREY ALUMINUM |

| Ordering               |            |
|------------------------|------------|
| Minimum Order Quantity | 1 piece    |
| Customs Tariff Number  | 8538100090 |
| Product Main Type      | 080SP      |

| Popular Downloads                 |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SFC151007C02__ |
| Instructions and                  | 1SFC151011M0201 |

Manuals

|                         |                 |
|-------------------------|-----------------|
| CAD Dimensional Drawing | 2CDC001079B0201 |
|-------------------------|-----------------|

Dimensions

|                            |          |
|----------------------------|----------|
| Product Net Width          | 152 mm   |
| Product Net Depth / Length | 101.5 mm |
| Product Net Height         | 152 mm   |
| Product Net Weight         | 0.932 kg |

Technical

|                  |                                                                                                                                                                                                                                                                                                                                                                                                                             |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Color            | Grey                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Function         | With holes                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Housing Material | Aluminum                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Sub-Function     | With conduit entry                                                                                                                                                                                                                                                                                                                                                                                                          |
| Sub-Function 2   | Normal socle                                                                                                                                                                                                                                                                                                                                                                                                                |
| Suitable For     | MP1<br>MP2<br>MP3<br>MP4<br>MPM1<br>KP6<br>MPET3<br>MPEP3<br>MPEK3<br>MPET4<br>MPEP4<br>MPEK4<br>MPMT3MPMP3<br>M2SS1<br>M2SS2<br>M2SS3<br>M2SS4<br>M2SS5<br>M2SS6<br>M3SS1<br>M3SS2<br>M3SS3<br>M3SS4<br>M3SS5<br>M3SS6<br>M3SS7<br>M3SS8<br>M3SSC1<br>M3SSC2<br>M3SSC3<br>M3SSC4<br>M3SSC5<br>M3SSC6<br>M3SSC7<br>M3SSC8<br>M2SSK1<br>M2SSK2<br>M2SSK3<br>M3SSK1<br>M3SSK2<br>M3SSK3<br>MTS1<br>MTS2<br>MTS3<br>CP1<br>CP2 |

|                            |                 |
|----------------------------|-----------------|
|                            | CP3             |
|                            | CP4             |
|                            | CP11            |
|                            | CP12            |
|                            | CP33            |
|                            | C2SS1           |
|                            | C2SS2           |
|                            | C2SS3           |
|                            | CE3T            |
|                            | CE3P            |
|                            | CE3K1           |
|                            | CE4T            |
|                            | CE4P            |
|                            | CE4K1           |
|                            | CPM3            |
|                            | CL              |
|                            | CL2             |
|                            | CB1             |
|                            | CP6             |
|                            | P9MC            |
|                            | P9ME            |
|                            | P9ML            |
|                            | P9MM            |
|                            | P9MP            |
|                            | P9MPS           |
|                            | P9MS            |
|                            | P9MSC,P9XER4RAW |
| Suitable for Product Class | Pilot Devices   |

| Environmental           |                                                   |
|-------------------------|---------------------------------------------------|
| Ambient Air Temperature | Operation -30 ... 70 °C<br>Storage -40 ... +70 °C |
| Degree of Protection    | Housing IP66                                      |

| Material Compliance                         |                                                                        |
|---------------------------------------------|------------------------------------------------------------------------|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658                                                        |
| REACH Declaration                           | 2CMT2022-006479                                                        |
| RoHS Information                            | 2CMT2022-006498                                                        |
| RoHS Status                                 | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Toxic Substances Control Act - TSCA         | 2CMT2023-006523                                                        |
| WEEE Category                               | Product Not in WEEE Scope                                              |

| Certificates and Declarations    |                 |
|----------------------------------|-----------------|
| BV Certificate                   | 2CMT2019-005867 |
| CB Certificate                   | 2CMT2019-005872 |
| Declaration of Conformity - CE   | 2CMT2015-005444 |
| Declaration of Conformity - UKCA | 2CMT2020-006121 |
| RINA Certificate                 | 2CMT2019-005866 |
| UL Certificate                   | 2CMT2019-005868 |

| Container Information          |               |
|--------------------------------|---------------|
| Package Level 1 Units          | bag 1 piece   |
| Package Level 1 Width          | 101.5 mm      |
| Package Level 1 Depth / Length | 152 mm        |
| Package Level 1 Height         | 152 mm        |
| Package Level 1 Gross Weight   | 0.932 kg      |
| Package Level 1 EAN            | 7320500520291 |

| Classifications                    |                                                  |
|------------------------------------|--------------------------------------------------|
| eClass                             | V11.0 : 27371205                                 |
| E-Number (Finland)                 | 2307497                                          |
| E-Number (Sweden)                  | 3705909                                          |
| ETIM 7                             | EC000200 - Enclosure for control circuit devices |
| ETIM 8                             | EC000200 - Enclosure for control circuit devices |
| ETIM 9                             | EC000200 - Enclosure for control circuit devices |
| IDEA Granular Category Code (IGCC) | 4478 >> Electrical pushbutton enclosure          |
| UNSPSC                             | 39121326                                         |

### Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Enclosures and Assembled Stations

