



PRODUCT-DETAILS

150
4 INCH LOCKNUT



| General Information | |
|-----------------------|--|
| Extended Product Type | 150 |
| Product ID | 7TAD012050R0012 |
| EAN | 5414363101574 |
| Catalog Description | 4 INCH LOCKNUT |
| Long Description | 4 Inch Malleable Iron Locknut for Use With Rigid/IMC Conduit |

| Additional Information | |
|------------------------|--|
| Application | To Connect Externally Threaded Conduit or Connector to a Threadless Opening In a Box or Enclosure. |
| Product Type | Locknuts |

| Ordering | |
|----------|---------------|
| EAN | 5414363101574 |
| UPC | 786210001500 |

| Technical | |
|---------------------|---|
| Number of Batteries | 0 |

| Environmental | |
|---------------|--|
| WEEE Category | Product Not in WEEE Scope |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |

| Container Information | |
|--------------------------------|------------------|
| Package Level 1 Units | 5 EA |
| Package Level 1 Height | 101.6 mm 4 in |
| Package Level 1 Depth / Length | 203.2 mm 8 in |
| Package Level 1 Width | 127 mm 5 in |

| Certificates and Declarations | |
|-----------------------------------|-----|
| Data Sheet, Technical Information | 150 |
| Instructions and Manuals | 150 |

| Classifications | |
|-----------------|----------------|
| ETIM 8 | EC003863 - Nut |
| UNSPSC | 31161716 |

| Categories | |
|--|--|
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings | |

