



PRODUCT-DETAILS

# UNDER VOLTAGE RELEASE 380/400V E1/6-T8

## UNDER VOLTAGE RELEASE 380/400V E1/6-T8



### General Information

|                       |   |
|-----------------------|---|
| Extended Product Type | UNDER VOLTAGE RELEASE 380/400V E1/6-T8                  |
| Product ID            | 1SDA038314R1  |
| EAN                   | 8015644383145   |
| Catalog Description   | UNDER VOLTAGE RELEASE 380/400V E1/6-T8                  |
| Long Description      | UNDERVOLTAGE RELEASE SUPPLY VOLTAGE 380/400V AC E1/6-T8 |

### Circular Value

|   |                                 |
|---|---------------------------------|
| Conflict Minerals Reporting Template (CMRT) | Document availability on demand |
|---|---------------------------------|

### Environmental

|                   |  |
|-------------------|--|
| REACH Declaration | 9AKK108466A1425  |
| RoHS Information  | 9AKK108466A1424  |
| RoHS Status       | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |

**Ordering**

|                        |               |
|------------------------|---------------|
| EAN                    | 8015644383145 |
| Minimum Order Quantity | 1 piece       |
| Customs Tariff Number  | 85389099      |

**Dimensions**

|                    |      |
|--------------------|------|
| Product Net Weight | 1 kg |
|--------------------|------|

**Container Information**

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | 1 piece       |
| Package Level 1 Width          | 50 mm         |
| Package Level 1 Height         | 70 mm         |
| Package Level 1 Depth / Length | 80 mm         |
| Package Level 1 Gross Weight   | 0.7 kg        |
| Package Level 1 EAN            | 8015644383145 |

**Additional Information**

|                                 |                        |
|---------------------------------|------------------------|
| Configuration Type              | Loose or configurable  |
| Current Type                    | AC/DC                  |
| Product Main Type               | Accessories for Emax   |
| Product Name                    | Accessory              |
| Product Type                    | Accessory              |
| Rated Voltage (U <sub>r</sub> ) | 380 ... 400 V AC/DC    |
| Standards                       | IEC                    |
| Suitable For                    | E1, E2, E3, E4, E6, T8 |
| Suitable for Product Class      | SACE Emax, SACE Tmax T |

**Certificates and Declarations**

|                                   |  |
|-----------------------------------|--|
| Data Sheet, Technical Information | 1SDC200006D0209  |
| Declaration of Conformity - CE    | 1SDL000165R0013<br>1SDL000165R0014<br>1SDL000165R0015<br>1SDL000165R0016<br>1SDL000165R0017<br>1SDL000165R0008 |
| Instructions and Manuals          | 1SDC200006D0209  |

**Classifications**

|                            |                               |
|----------------------------|-------------------------------|
| ETIM 7                     | EC001022 - Under voltage coil |
| ETIM 8                     | EC001022 - Under voltage coil |
| Object Classification Code | Q                             |

---

## Categories

---

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Accessories for Emax

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Accessories for Emax (old)

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T

