

PRODUCT-DETAILS

MIF T1-T2-T3 MECH, LOCK 3 C.BREAKER MIF T1-T2-T3 MECH, LOCK 3 C.BREAKER



| Extended Product Type | MIF T1-T2-T3 MECH, LOCK 3 C.BREAKER |
|---|--|
| Product ID | 1SDA052165R1 |
| EAN | 8015644527600 |
| Catalog Description | MIF T1-T2-T3 MECH, LOCK 3 C.BREAKER |
| Long Description | MECHANICAL INTERLOCK BETWEEN 3 C.BREAKERS T1-T2-T3 |
| | |
| | |
| Environmental | |
| Environmental Environmental Information | 1SDC210015D0201 |
| Environmental Information | |
| | 1SDC210015D020 1SDL000200R000 |

Order Code US and

Minimum Order Quantity

Customs Tariff Number

Canada EAN KT3MIF3

1 piece 85389099

8015644527600

| Dimensions | |
|-----------------------------------|---|
| Product Net Weight | 1.03 kg |
| | |
| | |
| Container Information | |
| Package Level 1 Units | 1 piece |
| Package Level 1 Gross Weight | 1.23 kg |
| Package Level 1 EAN | 8015644527600 |
| Additional Information | |
| Configuration Type | Loose or configurable |
| Device | T1-T2-T |
| Product Main Type | Accessories for Tmax |
| Product Name | Accessor |
| Product Type | ACC |
| Standards | IEC |
| Suitable For | T1, T2, T3 |
| Suitable for Product Class | SACE Tmax T |
| Certificates and Declarations | |
| Data Sheet, Technical Information | 1SDC210015D020 |
| Declaration of Conformity - CE | Refer to the EU Declaration of the relative Circuit Breake |
| Instructions and Manuals | 1SDC210015D020 |
| | |
| Classifications | |
| ETIM 7 | EC001044 - Mechanic interlock for switch |
| ETIM 8 | EC001044 - Mechanic interlock for switch |
| Object Classification Code | |
| WEEE Category | 4. Large Equipment (Any External Dimension More Than 50 cm) |

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Circuit\ Breakers \rightarrow Moulded\ Case\ Circuit\ Breakers \rightarrow Accessories\ for\ Tmax\ Tmax\$

