



PRODUCT-DETAILS

T5 400 P FP 4p HR

T5 400 P FP 4p HR

General Information	
Extended Product Type	T5 400 P FP 4p HR
Product ID	1SDA054754R1
EAN	8015644558758
Catalog Description	T5 400 P FP 4p HR
Long Description	FIXED PART PLUG-IN FOR C.BREAKER TMAX FOUR-POLE WITH REAR TERMINALS HORIZONTAL T5 400

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
SCIP	248260fe-bb15-4df7-bb91-652917524dff Bulgaria (BG)
Simplified SCIP	ff34ec7b-e742-4a9a-aba2-1e1ae23b801d Estonia (EE) d30bdb4b-6a8d-433b-a066-91ada6dec71 Greece (GR) e1f8fe89-676e-4ca8-9e44-bf28d48953e7 Poland (PL) 5c4b3a46-9e39-4d22-8797-770f2f55bc2f France (FR) 0c7b867c-4eb4-426c-a72e-f94951fd3af2 Sweden (SE) 506f9179-6c5b-47b7-adfc-970fee182d6b Germany (DE) 6b2073aa-a711-45d4-9776-7f5d31b5b764 Germany (DE) bcc85f6-bffd-4da5-8926-62a69f582ece France (FR) ed104ed5-c64b-4945-86b9-a041f1bda603 Hungary (HU) c8ddd36-802b-4f15-bee5-c0d498d615a7 Spain (ES) 7be1c8e6-02d0-4ced-8ae0-54d2682e3fa8 Belgium (BE) 628b9003-d66c-4201-9ff1-9290d170b667 Portugal (PT) f4250280-b3d2-4826-84cc-b56ed766e0c6 Sweden (SE) 0b6b8295-8ed1-4c00-8c34-87c05eb94436 Germany (DE) 9f3813f2-53c4-4f4d-aa9e-ed05315c340e Poland (PL) 74ef9ca1-240e-4f5a-b370-608b04d53309 Norway (NO) 8800a974-8596-45bd-a324-a27749c11b52 Belgium (BE) d42c92a2-1877-4624-8516-e18e3bc4a81a Czech Republic (CZ) f4de5d05-2b4d-4949-8603-88e53d8b3b65 Poland (PL) 35149e99-7cfd-40fd-b59a-1564bfb7228 Netherlands (NL) deac174e-dda1-495f-b3bf-a87cd70c39ea Finland (FI) cb032528-5453-4458-90bb-f53629a94500 Italy (IT) 099ec5dd-f499-4b64-a69a-783fd211db03 Germany (DE) 213c24a6-3968-4335-aecd-2d5e1139cb29 Denmark (DK) 05f8c384-904a-4dc8-8313-5e993e593b5d Germany (DE) 303965e6-1fd2-41b3-ba9b-d30df0c2780d Croatia (HR) 16c71064-01c3-4919-bf1a-813848356906 Hungary (HU)

Ordering

Order Code US and Canada	KT5PFHR-4
E-Number (Finland)	3655568
EAN	8015644558758
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Width	186 mm
Product Net Height	209 mm
Product Net Depth / Length	50 mm
Product Net Weight	1.5 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	162 mm
Package Level 1 Height	162 mm
Package Level 1 Depth / Length	240 mm
Package Level 1 Gross Weight	1.7 kg
Package Level 1 EAN	8015644558758

Additional Information

Device	Fixed Part
Number of Poles	4
Product Main Type	Accessories for Tmax T
Product Name	Accessory

Product Type	Fixed Part
Rated Operational Voltage	690 V AC 750 V DC
Rated Uninterrupted Current (I _u)	400 A
Short-Circuit Performance Level	L
Standards	IEC
Sub-type	T5
Suitable For	T5
Suitable for Product Class	Moulded Case Circuit Breakers
Terminal Connection Type	Plug-In Circuit-Breakers Rear flat Horizontal
Test Voltage at Industrial Frequency for 1 Minute	not applicable V
Version	P

Certificates and Declarations

Data Sheet, Technical Information	1SDC210004D0203
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH000437R0001
Instructions and Manuals (Part 2)	ITSCE-RH0100001

Classifications

ETIM 7	EC002043 - Chassis part power circuit breaker
ETIM 8	EC002043 - Chassis part power circuit breaker
ETIM 9	EC002043 - Chassis part power circuit breaker
Object Classification Code	Q
UNSPSC	39121100
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27370422

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Tmax T

