



PRODUCT-DETAILS

T5 630 W FP 4p EF
T5 630 W FP 4p EF

General Information	
Extended Product Type	T5 630 W FP 4p EF
Product ID	1SDA054771R1
EAN	8015644559007
Catalog Description	T5 630 W FP 4p EF
Long Description	FIXED PART WITHDRAWABLE FOR C.BREAKER TMAX FOUR-POLE WITH EXTENDED FRONT TERMINALS T5 630

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
SCIP	2b98e92d-58a9-441d-a6fd-f9718efd3612 Bulgaria (BG)
Simplified SCIP	87d8a3d4-7788-4cc8-9c0e-ea6b56cc3322 Poland (PL) ef3432dd-8615-47f3-bea8-6ee8ab4274a3 Belgium (BE) bf57e791-f5cc-4d41-b3f1-1593c3fc992c Spain (ES) 97764036-6a85-4596-b122-5fc357bcde5e Hungary (HU) 45e941a2-9bfa-419e-97d0-f2ff366e7e87 France (FR) 26315290-1bed-4757-a254-eb18302aa57d Germany (DE) 2e73199e-adcb-4f45-9311-8a78a75c37f8 Germany (DE) 3d10d525-b08e-4596-bd9d-f9854792af2c Sweden (SE) 3817d06d-d59f-4f8e-a5d2-b68a8f68186f France (FR) c31e1077-7944-4b09-93a1-83bad6d5167b Portugal (PT) b48f68d0-1d1a-4de3-99f9-035d9470c434 Sweden (SE) 90263e34-1745-45d2-8864-707eb63c1bfa Poland (PL) 1bba63a6-f431-4041-af4c-7aaa9c2f7ce8 Germany (DE) 21e170a7-5c6c-4e8a-9438-0623b3e5f607 Poland (PL) d0b3547f-80b3-465d-ba67-91572e80695a Czech Republic (CZ) dd4a372a-dbd9-40ef-a858-8f9bf8ffcdcd Belgium (BE) 1ab387a6-e542-4496-8917-426dac8ddb0f Norway (NO) d4b2e861-184a-428d-8bfc-cd91a92d2430 Netherlands (NL) 528f3409-7bee-47d3-81f2-8b98ab1e6d27 Denmark (DK) a3525f4d-a55b-4141-af09-670c39e120e3 Germany (DE) afec29bf-4865-4fbf-ad33-06cdc40e1d7c Italy (IT) 9918a358-485b-4ad9-8918-550b313abf10 Finland (FI) 37173754-984f-4274-9244-5bf3bf829855 Greece (GR) 6df47cb5-5ea0-4805-83ba-2c1d10820c7c Estonia (EE) 3b829392-4959-4d5f-bdf9-8cd3ca2076e4 Hungary (HU) 571d8507-89eb-4d1e-8c37-297bb7f53a2e Croatia (HR) f39a6f8b-0ca6-4145-8686-79c99ef2f35e Germany (DE)

Ordering

E-Number (Finland)	3655590
EAN	8015644559007
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Width	218 mm
Product Net Height	273 mm
Product Net Depth / Length	50 mm
Product Net Weight	3 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	280 mm
Package Level 1 Height	280 mm
Package Level 1 Depth / Length	369 mm
Package Level 1 Gross Weight	3.2 kg
Package Level 1 EAN	8015644559007

Additional Information

Device	Fixed Part
Number of Poles	4
Product Main Type	Accessories for Tmax T
Product Name	Accessory
Product Type	Fixed Part
Rated Operational Voltage	690 V AC

	750 V DC
Rated Uninterrupted Current (I _N)	630 A
Short-Circuit Performance Level	L
Standards	IEC
Sub-type	T5
Suitable For	T5
Suitable for Product Class	Moulded Case Circuit Breakers
Terminal Connection Type	Withdrawable Circuit-Breakers Front Extended
Test Voltage at Industrial Frequency for 1 Minute	not applicable V
Version	W

Certificates and Declarations

Data Sheet, Technical Information	1SDC210015D0208 1SDC210300D0201
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH000436R0812 1SDH000436R0811
Instructions and Manuals (Part 2)	ITSCE-RH0100001

Classifications

ETIM 7	EC002043 - Chassis part power circuit breaker
ETIM 8	EC002043 - Chassis part power circuit breaker
ETIM 9	EC002043 - Chassis part power circuit breaker
Object Classification Code	Q
UNSPSC	39121100
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27370422

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Tmax T

