




PRODUCT-DETAILS

RHE T4-T5 W STAND. RETURNED

RHE T4-T5 W STAND. RETURNED



General Information	
Extended Product Type	RHE T4-T5 W STAND. RETURNED
Product ID	1SDA054933R1
EAN	8015644560553
Catalog Description	RHE T4-T5 W STAND. RETURNED
Long Description	ROTARY HANDLE OPERATING MECHANISM STANDARD ADJUSTABLE DEPTH L=500 MM WITH PADLOCK DEVICE AND DOOR INTERLOCK FOR C.BREAKER WITHDRAWABLE T4-T5

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425

RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

E-Number (Finland)	3655663
EAN	8015644560553
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.724 kg
--------------------	----------

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	125 mm
Package Level 1 Height	120 mm
Package Level 1 Depth / Length	485 mm
Package Level 1 Gross Weight	0.762 kg
Package Level 1 EAN	8015644560553

Additional Information

Configuration Type	Loose or configurable
Product Main Type	Accessories for Tmax T
Product Name	Accessory
Product Type	Accessory
Standards	IEC
Suitable For	T4, T5
Suitable for Product Class	SACE Tmax T

Certificates and Declarations

Data Sheet, Technical Information	1SDC210015D0208 1SDC210300D0201
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH000436R0612

Classifications

ETIM 7	EC000229 - Handle for power circuit breaker
ETIM 8	EC000229 - Handle for power circuit breaker
ETIM 9	EC000229 - Handle for power circuit breaker
Object Classification Code	Q
UNSPSC	39120000
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
eClass	V11.1 : 27370414

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T

