

PRODUCT-DETAILS

KLF-S T4-T5 KEY LOCK EQ.20006 F/ROT.HAND KLF-S T4-T5 KEY LOCK EQ.20006 F/ROT.HAND



KLF-S T4-T5 KEY LOCK EQ.20006 F/ROT.HAND
1SDA054941R1
8015644560805
KLF-S T4-T5 KEY LOCK EQ.20006 F/ROT.HAND
KEY LOCK EQUAL N.20006 IN OPEN FOR ROTARY HANDLE OPERATING MECH. AND FRONT PANEL BETWEEN MORE C.BREAKERS T4-T5

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental		
Environmental Information		9AKK108467A6707
REACH Declaration		9AKK108466A1425
RoHS Information		9AKK108466A1424
© 2024 ABB. All rights reserved.	2024/04/11	Subject to change without

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Ordering	
Order Trig Order Code US and	KA3KLFS6
Canada	
EAN	8015644560805
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099
Product Net Weight	0.1 kg
Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	150 mm
Package Level 1 Height	20 mm
Package Level 1 Depth / Length	200 mm
Package Level 1 Gross Weight	0.1 kg
Package Level 1 EAN	8015644560805
Additional Information Configuration Type Product Main Type	Loose or configurable Accessories for Tmax T
Product Name	Accessory
Product Type	Accessory
Standards	IEC
Suitable For	T4, T5
Suitable for Product Class	SACE Tmax T
Certificates and Declarations	
Data Sheet, Technical	1SDC210015D0208
Information	1SDC210300D0201
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH000436R0614
Classifications	
ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
Object Classification Code	C
UNSPSC	39120000
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27371390

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Circuit\ Breakers \rightarrow Moulded\ Case\ Circuit\ Breakers \rightarrow Accessories\ for\ Formula\ DSA$ $Low\ Voltage\ Products\ and\ Systems \rightarrow Circuit\ Breakers \rightarrow Moulded\ Case\ Circuit\ Breakers \rightarrow Accessories\ for\ Tmax\ T$

