



PRODUCT-DETAILS

T6 W FP 4p VR  
T6 W FP 4p VR

| General Information   |  |
|-----------------------|--|
| Extended Product Type | T6 W FP 4p VR  |
| Product ID            | 1SDA060389R1   |
| EAN                   | 8015644628604  |
| Catalog Description   | T6 W FP 4p VR  |
| Long Description      | FIXED PART WITHDRAWABLE FOR C.BREAKER TMAX FOUR-POLE WITH REAR<br>TERMINALS VERTICALS T6 |

| Circular Value                                    |                 |
|---|-----------------|
| Conflict Minerals<br>Reporting Template<br>(CMRT) | 9AKK108467A5658 |
| Toxic Substances<br>Control Act - TSCA            | 9AKK108467A8326 |

| Environmental |                 |
|---------------|-----------------|
| Environmental | 9AKK108467A6707 |

Information

|                   |  |
|-------------------|--|
| REACH Declaration | 9AKK108466A1425  |
| RoHS Information  | 9AKK108466A1424  |
| RoHS Status       | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |

Ordering

|                          |               |
|--------------------------|---------------|
| Order Code US and Canada | KT6WFVR-4     |
| EAN                      | 8015644628604 |
| Minimum Order Quantity   | 1 piece       |
| Customs Tariff Number    | 85389099      |

Dimensions

|                            |         |
|----------------------------|---------|
| Product Net Width          | 330 mm  |
| Product Net Height         | 295 mm  |
| Product Net Depth / Length | 85.5 mm |
| Product Net Weight         | 9 kg    |

Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | 1 piece       |
| Package Level 1 Width          | 322 mm        |
| Package Level 1 Height         | 322 mm        |
| Package Level 1 Depth / Length | 439 mm        |
| Package Level 1 Gross Weight   | 4.1 kg        |
| Package Level 1 EAN            | 8015644628604 |

Additional Information

|   |   |
|---|---|
| Number of Poles                               | 4   |
| Product Main Type                             | Accessories for Tmax T                              |
| Product Name                                  | Accessory   |
| Product Type                                  | Fixed Part  |
| Rated Operational Voltage                     | 690 V AC<br>750 V DC                                |
| Rated Uninterrupted Current (I <sub>u</sub> ) | 800 A   |
| Standards                                     | IEC   |
| Sub-type                                      | T6  |
| Suitable For                                  | T6  |
| Suitable for Product Class                    | Moulded Case Circuit Breakers                       |
| Terminal Connection Type                      | Withdrawable Circuit-Breakers<br>Rear flat Vertical |
| Version                                       | W   |

Certificates and Declarations

|                                   |   |
|-----------------------------------|---|
| Data Sheet, Technical Information | 1SDC210015D0208<br>1SDC210300D0201                          |
| Declaration of Conformity - CE    | Refer to the EU Declaration of the relative Circuit Breaker |
| Instructions and Manuals          | 1SDH000479R0811<br>1SDH000479R0825                          |

Classifications

|                            |  |
|----------------------------|--|
| ETIM 7                     | EC002043 - Chassis part power circuit breaker              |
| ETIM 8                     | EC002043 - Chassis part power circuit breaker              |
| ETIM 9                     | EC002043 - Chassis part power circuit breaker              |
| Object Classification Code | Q  |
| UNSPSC                     | 39121100   |
| WEEE Category              | 5. Small Equipment (No External Dimension More Than 50 cm) |
| eClass                     | V11.1 : 27370422   |

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Tmax T