



PRODUCT-DETAILS

T7D 1000 4p F F

T7D 1000 4p F F



General Information	
Extended Product Type	T7D 1000 4p F F
Product ID	1SDA062033R1
EAN	8015644645717
Catalog Description	T7D 1000 4p F F
Long Description	SWITCH-DISCONNECTOR TMAX T7D 1000 FIXED FOUR-POLE WITH FRONT TERMINALS AND LEVER OPERATING MECHANISM

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental	9AKK10103A1059

Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
SCIP	459c761a-1abf-4187-be4e-e09a150387a8 Italy (IT)
Simplified SCIP	dbec7474-002e-40bc-93a5-fd3538db69f1 Germany (DE) 0b65bb23-e771-404e-8416-0280cd566da2 Croatia (HR) 68b18961-a3c0-45fb-89f8-118428049d28 Finland (FI) 6e0e7eb1-20d5-4eb9-9537-9437abea493f Denmark (DK) 5c92c7a7-28c0-4883-ba23-c639b10a5c06 Germany (DE) 252b759a-6a08-4fba-a90d-dbf2ce1e9b93 Czech Republic (CZ) 3ea1fb40-06c0-44ed-8710-b082bd1e9be9 Poland (PL) fcb43bde-dbe1-43fa-b717-305c8312f2b5 Netherlands (NL) dbeb86ff-76d1-4110-b1c3-c3370c4be52e Estonia (EE) a2253544-66a3-4c7d-9ef3-5b55ad7ad6a9 Greece (GR) 210b66af-703c-45d7-9837-0c10aa076041 France (FR) 0e283140-9e45-465a-a2d0-677c77ea1714 Sweden (SE) 0304b948-293d-416b-9f86-855b087af18c Germany (DE) 6df13a84-d49a-424e-99d0-dca58f67294b Portugal (PT) b33c98a3-3d48-4014-97fe-f38a53ff12f0 Bulgaria (BG) c8b1f431-9f46-4594-83be-bce68652d373 Sweden (SE) 5037e16e-7b81-4931-9524-f3b4826c0904 Poland (PL) f0acee02-7879-4ce5-b4ee-b5ea609251d6 Netherlands (NL) 885c1a39-c9aa-4dbf-9251-ecbb60d04c6c Norway (NO) 3e9edead-9814-4b83-913a-bd53cf7e4f6b Germany (DE) 513ed0d4-bc3f-44d9-9ac3-152a1b085a4f France (FR) c5edce1c-beaa-4524-9e71-b33cb6ed2ce3 Netherlands (NL) c5f57b97-982c-4e08-a161-582680b112ae Spain (ES) e4edcf5b-d0c0-43e3-82ee-92fccb0ce272 Netherlands (NL) 73b41db5-12c9-43a6-9604-9a09d97fcf2c Netherlands (NL) 95b2964f-9f9a-4928-b43e-a090619442e3 Poland (PL) 882fa94e-9514-40ed-954b-bd02c77b6862 Germany (DE)

Ordering

EAN	8015644645717
Minimum Order Quantity	1 piece
Customs Tariff Number	85362090

Dimensions

Product Net Width	280 mm
Product Net Height	268 mm
Product Net Depth / Length	154 mm
Product Net Weight	12.5 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	360 mm
Package Level 1 Height	350 mm
Package Level 1 Depth / Length	360 mm
Package Level 1 Gross Weight	14 kg
Package Level 1 EAN	8015644645717

Additional Information

Number of Poles	4
Power Loss	at Rated Operating Conditions per Pole 30 W
Product Main Type	SACE Tmax T
Product Name	Moulded Case Circuit Breaker
Product Type	Switch Disconnecter
Rated Operational Voltage	690 V AC 750 V DC
Rated Short-time Withstand Current Low Voltage (I_{cw})	for 1 s 20 A
Rated Uninterrupted Current (I_u)	1000 A
Short-Circuit Performance Level	D
Standards	IEC
Sub-type	T7
Suitable For	T7
Suitable for Product Class	Moulded Case Circuit Breakers
Terminal Connection Type	Fixed Circuit-Breakers Front
Version	F

Certificates and Declarations

Data Sheet, Technical Information	1SDC210015D0201
Declaration of Conformity - CE	9AKK106713A5537
Instructions and Manuals	1SDC210015D0201

Classifications

ETIM 7	EC000216 - Switch disconnecter
ETIM 8	EC000216 - Switch disconnecter
ETIM 9	EC000216 - Switch disconnecter (low voltage)
Object Classification Code	Q
UNSPSC	39121100
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27371403

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Tmax T

