



PRODUCT-DETAILS

RHE T7 F/W NORM. RETURNED  
RHE T7 F/W NORM. RETURNED



General Information	
Extended Product Type	RHE T7 F/W NORM. RETURNED
Product ID	1SDA062122R1
EAN	8015644646615
Catalog Description	RHE T7 F/W NORM. RETURNED
Long Description	ROTARY HANDLE OPERATING MECHANISM STANDARD ADJUSTABLE DEPTH L=500 MM WITH PADLOCK DEVICE AND DOOR INTERLOCK FOR C.BREAKER FIXED- WITHDRAWABLE T7

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental

Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

Order Code US and Canada	KT7VD
EAN	8015644646615
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	1.234 kg
--------------------	----------

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	160 mm
Package Level 1 Height	100 mm
Package Level 1 Depth / Length	500 mm
Package Level 1 Gross Weight	1.299 kg
Package Level 1 EAN	8015644646615

Additional Information

Configuration Type	Loose or configurable
Product Main Type	Accessories for Tmax T
Product Name	Accessory
Product Type	Accessory
Standards	IEC
Suitable For	T7
Suitable for Product Class	SACE Tmax T

Certificates and Declarations

Data Sheet, Technical Information	1SDC210015D0208 1SDC210300D0201
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH000529R0612

Classifications

ETIM 7	EC000229 - Handle for power circuit breaker
--------	---

ETIM 8	EC000229 - Handle for power circuit breaker
ETIM 9	EC000229 - Handle for power circuit breaker
Object Classification Code	Q
UNSPSC	39121100
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
eClass	V11.1 : 27370414

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T

