



PRODUCT-DETAILS

CAVO FLEX L=60" x MECCAN.xCOMANDO
T1..T5

CAVO FLEX L=60" x MECCAN.xCOMANDO
T1..T5

General Information	
Extended Product Type	CAVO FLEX L=60" x MECCAN.xCOMANDO T1..T5
Product ID	1SDA063880R1
EAN	8015644667078
Catalog Description	CAVO FLEX L=60" x MECCAN.xCOMANDO T1..T5
Long Description	FLEXIBLE OPERATING CABLE L=60" FOR OPERATING MECCANISM T1...T5 (USCON SPECIAL VERSION)

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental	9AKK108467A6707

Information	
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

Order Code US and Canada	OXC1L60
EAN	8015644667078
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.5 kg
--------------------	--------

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	33 mm
Package Level 1 Height	3 mm
Package Level 1 Depth / Length	50 mm
Package Level 1 Gross Weight	0.5 kg
Package Level 1 EAN	8015644667078

Additional Information

Configuration Type	Loose or configurable
Product Main Type	Accessories for Tmax T
Product Name	Accessory
Product Type	Accessory
Standards	IEC
Suitable For	T1, T2, T3, T4, T5

Certificates and Declarations

Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDC210033D0202

Classifications

ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
IDEA Granular Category Code (IGCC)	5219 >> Switch part or accessory
UNSPSC	39122221

WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
eClass	V11.1 : 27371390

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T