



PRODUCT-DETAILS

PB 25mm 6pcs XT1-XT3 4p KIT
PAR.DI.PH.LO
PB 25mm 6pcs XT1-XT3 4p KIT PAR.DI.PH.LO



General Information	
Extended Product Type	PB 25mm 6pcs XT1-XT3 4p KIT PAR.DI.PH.LO
Product ID	1SDA066679R1
EAN	8015644693879
Catalog Description	PB 25mm 6pcs XT1-XT3 4p KIT PAR.DI.PH.LO
Long Description	KIT PARTITIONS DIV. PHASE LOW FOR FOUR-POLE H=25 MM 6pcs XT1-XT3

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424

RoHS Status Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

Order Code US and Canada	KXTBEPB25-4
EAN	8015644693879
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.06 kg
--------------------	---------

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	145 mm
Package Level 1 Height	30 mm
Package Level 1 Depth / Length	250 mm
Package Level 1 Gross Weight	0.06 kg
Package Level 1 EAN	8015644693879

Additional Information

Configuration Type	Loose or configurable
Number of Poles	4
Order Multiple	1 piece
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	Accessory
Standards	IEC60947-2
Suitable For	XT1, XT3
Suitable for Product Class	SACE Tmax XT

Certificates and Declarations

Data Sheet, Technical Information	1SDC210100D0205 1SDC210099D0205
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH000719R0620

Classifications

ETIM 7	EC002273 - Phase barrier plate
ETIM 8	EC002273 - Phase barrier plate
ETIM 9	EC002273 - Phase barrier plate
Object Classification Code	Q
UNSPSC	39120000
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27400614

Categories

[Low Voltage Products and Systems](#) → [Circuit Breakers](#) → [Moulded Case Circuit Breakers](#) → [Accessories for Tmax XT](#)

