




PRODUCT-DETAILS

SG.TMG 40-200 XT2 3p

SG.TMG 40-200 XT2 3p



General Information	
Extended Product Type	SG.TMG 40-200 XT2 3p
Product ID	1SDA067264R1
EAN	8015644009878
Catalog Description	SG.TMG 40-200 XT2 3p
Long Description	SG.TMG 40-200 XT2 3p

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK108467A6707

REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

EAN	8015644009878
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.8 kg
--------------------	--------

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	0 mm
Package Level 1 Height	0 mm
Package Level 1 Depth / Length	0 mm
Package Level 1 Gross Weight	0.9 kg
Package Level 1 EAN	8015644009878

Additional Information

Circuit Breaker Type to be Associated	Generator Protection
Configuration Type	Loose or configurable
Current Type	AC/DC
Number of Poles	3
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	Accessory
Rated Current (I _n)	40 A
Release	TMG
Release Type	TM
Standards	IEC60947-2
Suitable For	XT2
Suitable for Product Class	SACE Tmax XT

Certificates and Declarations

Data Sheet, Technical Information	1SDC210100D0205 1SDC210099D0205
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH000721R0505

Classifications		
ETIM 7	EC001023 - Shunt release (for power circuit breaker)	
ETIM 8	EC001023 - Shunt release (for power circuit breaker)	
ETIM 9	EC001023 - Shunt release (for power circuit breaker)	
Object Classification Code	Q	
UNSPSC	39120000	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
eClass	V11.1 : 27370418	

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax XT

