




PRODUCT-DETAILS

XT2 P FP 3p EF
XT2 P FP 3p EF



General Information	
Extended Product Type	XT2 P FP 3p EF
Product ID	1SDA068187R1
EAN	8015644020842
Catalog Description	XT2 P FP 3p EF
Long Description	XT2 P FP 3p EF + KIT FC Cu XT2 3pcs + ADP MONT. FIXED TERM. x PF XT2 3p

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
SCIP	4008983c-28ea-439b-b583-a7f13da6d0c5 Italy (IT)
Simplified SCIP	3ced2f13-8cd3-440d-9951-98bc34ef1cd3 Germany (DE) 0a155f53-e5bf-408a-88c3-367721cebd99 Finland (FI) 9d90a7d9-d567-47c5-8144-3ec0453258ef Netherlands (NL) 372906d2-8268-402d-a692-e150a831fc73 Germany (DE) 63171e24-cd03-47ba-a5d8-b0286af8fe7f Denmark (DK) a0ecb39b-bc85-4c6a-bedc-fc99d1d93e58 Croatia (HR) 2dc4d118-1937-4582-8483-c36b7aa1fc92 Czech Republic (CZ) bd506a3a-44b6-4ad4-aa90-3b34f328d083 Poland (PL) f0b50ce2-a53c-4f12-b273-6bea75082c61 Netherlands (NL) 3406e9dd-472d-4432-b095-d36f46534164 Netherlands (NL) 9389d90e-35a2-48a9-b343-72096a67ccc9 Estonia (EE) 2cc85a05-f2b5-4acd-a38d-4bf3b4c93303 Greece (GR) 148dc9c1-1170-4ad9-ae5e-df808f73d153 Portugal (PT) 54744751-8c3d-49e4-a4b1-609eab9950cb Bulgaria (BG) 76dcb408-06ce-4b4e-8ab7-5ac6b9e3d7ce Sweden (SE) 9bea0db1-86e8-466a-b393-45d0f7699708 Poland (PL) 4766349e-7884-47f8-a6cf-32eaa6c0de09 France (FR) 0ea65c17-c0e0-4a93-bf2a-998aba52c6e2 Germany (DE) 4dfec1e1-6a24-4d59-a9f3-900ea503055d Sweden (SE) e5271b2c-24ac-488b-aa8a-7ae0007ef330 Germany (DE) 61476118-69fc-42c8-a542-05f9fa212054 Germany (DE) c96264f3-564f-491f-bae5-c5864962b753 France (FR) e660c98b-07b5-4d7d-b5a2-adb2a52a7154 Netherlands (NL) d7724682-7a41-46c1-b938-5058863dac34 Spain (ES) 5516909f-4173-4a7a-ae8a-883f806678b1 Netherlands (NL) daf1865e-3260-4947-ac23-14526f87c62a Poland (PL) 9fe62ffe-6463-4d76-bc1f-34dbda23384d Norway (NO)

Ordering

Order Code US and Canada	KXT2PFPEF-3
E-Number (Finland)	3640552
E-Number (Sweden)	3182031
EAN	8015644020842
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.9 kg
--------------------	--------

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	120 mm
Package Level 1 Height	180 mm
Package Level 1 Depth / Length	225 mm
Package Level 1 Gross Weight	1 kg
Package Level 1 EAN	8015644020842

Additional Information

Configuration Type	Loose or configurable
Number of Poles	3
Order Multiple	1 piece
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	Fixed Part

Rated Frequency (f)	50 / 60 Hz
Rated Impulse Withstand Voltage (U _{imp})	8 kV
Rated Insulation Voltage (U _i)	1000 V
Rated Operational Voltage	690 V AC 500 V DC
Rated Uninterrupted Current (I _u)	160 A
Standards	IEC60947-2 UL489
Sub-type	XT2
Suitable For	XT2
Suitable for Product Class	SACE Tmax XT
Terminal Connection Type	Plug-In Circuit-Breakers Front Extended
Version	P

Certificates and Declarations

Data Sheet, Technical Information	2CDC210017C0101 1SDC210100D0206 1SXF210033C2001 1SDC210099D0206 1SXF210034C2001
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Wiring Diagram	
Instructions and Manuals	1SDH000721R0005

Classifications

ETIM 7	EC002043 - Chassis part power circuit breaker
ETIM 8	EC002043 - Chassis part power circuit breaker
ETIM 9	EC002043 - Chassis part power circuit breaker
IDEA Granular Category Code (IGCC)	5219 >> Switch part or accessory
Object Classification Code	Q
UNSPSC	39122221
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27370422

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Tmax XT

