




PRODUCT-DETAILS

XT3 P FP 4p EF

XT3 P FP 4p EF



General Information	
Extended Product Type	XT3 P FP 4p EF
Product ID	1SDA068194R1
EAN	8015644020903
Catalog Description	XT3 P FP 4p EF
Long Description	FIXED PART PLUG-IN FOR C.BREAKER TMAX FOUR-POLE WITH EXTENDED FRONT TERMINALS XT3

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental	9AKK108467A6707

Information	
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
SCIP	afb69e4a-f47d-4543-9b14-1aeb1d43e90a Italy (IT)
Simplified SCIP	fc9d2f1-a92d-4ebd-bb93-aabd72ea6fa0 Germany (DE) e7aa4257-bf46-41c6-bc49-07089edd26a0 Sweden (SE) 1289d8bf-5711-4378-9dc6-33fd61a5dd76 Poland (PL) bf32da19-3db0-401c-9d16-02b8d83688ee Netherlands (NL) 263f4ae6-d0ca-47f8-8c09-e98d7bf513a3 Estonia (EE) b290fabb-1fb1-4330-bbf0-08c537eee099 Greece (GR) a11eeb6f-e0c2-4eed-9e7a-f7afbd54e486 Portugal (PT) 781657cc-a51d-42ef-9b5f-507ed7fef4d0 Bulgaria (BG) 5dae7b9d-dc6e-4323-a862-e13c4e1aecb8 France (FR) 5c705829-9e13-4527-b7db-99cc3ceb652e Sweden (SE) 1b8ab5be-d08f-4cc3-b7a5-8aac424bddcb Germany (DE) af8388d0-6dd6-4608-9640-ca1278f00c5d Germany (DE) b6cea83d-28dc-43e6-92d8-cb67b5d16a6c France (FR) 4bad9706-15e9-4385-b089-39348dc058f8 Netherlands (NL) 512333ba-ac8e-47cf-b4f2-60045371bf38 Spain (ES) 41aec7d6-9bd6-4e50-ba64-54fbf2f39466 Netherlands (NL) 14b9831d-5690-436e-b4fc-de9e9ef204c9 Poland (PL) 200c731d-7900-4d47-b311-75c48d8d5c90 Norway (NO) 3f4ba733-0bdb-4914-85f0-ff46dd127020 Finland (FI) d1ef11bb-682b-429d-a8e1-0d5ccea9de5 Netherlands (NL) 92e1fbc0-5d69-45e2-ab20-98dba1ebd982 Germany (DE) a7f00d2d-f3ef-4d72-b634-d32ef39c81e2 Denmark (DK) 4bbde414-2bf4-4007-b36e-8c7025e93624 Germany (DE) 428a3ef0-aadc-4273-814f-b099b155f6e6 Croatia (HR) df36e1f8-02fb-4198-bd00-65fd2a53f82b Czech Republic (CZ) 24bcbf8f-73d1-4df8-92e4-b16eb50088bd Poland (PL) b95ed302-92ed-4787-b8a0-8abb7924d9b2 Netherlands (NL)

Ordering

Order Code US and Canada	KXT3PFPEF-4
E-Number (Finland)	3641031
EAN	8015644020903
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	1.32 kg
--------------------	---------

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	120 mm
Package Level 1 Height	180 mm
Package Level 1 Depth / Length	225 mm
Package Level 1 Gross Weight	1.47 kg
Package Level 1 EAN	8015644020903

Additional Information

Configuration Type	Loose or configurable
Number of Poles	4
Order Multiple	1 piece
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	Fixed Part
Rated Frequency (f)	50 / 60 Hz
Rated Impulse Withstand Voltage (U _{imp})	8 kV
Rated Insulation Voltage (U _i)	800 V
Rated Operational Voltage	690 V AC 500 V DC
Rated Uninterrupted Current (I _u)	250 A
Standards	IEC60947-2 UL489
Sub-type	XT3
Suitable For	XT3
Suitable for Product Class	SACE Tmax XT
Terminal Connection Type	Plug-In Circuit-Breakers Front Extended
Version	P

Certificates and Declarations

Data Sheet, Technical Information	1SDC210100D0206 1SDC210099D0206
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH000720R0005

Classifications

ETIM 7	EC002043 - Chassis part power circuit breaker
ETIM 8	EC002043 - Chassis part power circuit breaker
ETIM 9	EC002043 - Chassis part power circuit breaker
IDEA Granular Category Code (IGCC)	5219 >> Switch part or accessory
Object Classification Code	Q
UNSPSC	39122221
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27370422

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Tmax XT

