




PRODUCT-DETAILS

XT2 W FP 4p HR

XT2 W FP 4p HR



| General Information   |                                                                                         |
|-----------------------|-----------------------------------------------------------------------------------------|
| Extended Product Type | XT2 W FP 4p HR                                                                          |
| Product ID            | 1SDA068203R1                                                                            |
| EAN                   | 8015644696320                                                                           |
| Catalog Description   | XT2 W FP 4p HR                                                                          |
| Long Description      | FIXED PART WITHDRAWABLE FOR C.BREAKER Tmax FOUR-POLE WITH REAR TERMINALS HORIZONTAL XT2 |

| Circular Value                              |                 |
|---------------------------------------------|-----------------|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658 |
| Toxic Substances Control Act - TSCA         | 9AKK108467A8326 |

| Environmental |                 |
|---------------|-----------------|
| Environmental | 9AKK108467A6707 |

|                   |                                                                        |
|-------------------|------------------------------------------------------------------------|
| Information       |                                                                        |
| REACH Declaration | 9AKK108466A1425                                                        |
| RoHS Information  | 9AKK108466A1424                                                        |
| RoHS Status       | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |

## Ordering

|                          |               |
|--------------------------|---------------|
| Order Code US and Canada | KXT2EWFPHR-4  |
| E-Number (Finland)       | 3640816       |
| EAN                      | 8015644696320 |
| Minimum Order Quantity   | 1 piece       |
| Customs Tariff Number    | 85389099      |

## Dimensions

|                    |        |
|--------------------|--------|
| Product Net Weight | 1.7 kg |
|--------------------|--------|

## Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | box 1 piece   |
| Package Level 1 Width          | 195 mm        |
| Package Level 1 Height         | 220 mm        |
| Package Level 1 Depth / Length | 260 mm        |
| Package Level 1 Gross Weight   | 1.85 kg       |
| Package Level 1 EAN            | 8015644696320 |

## Additional Information

|                                                     |                                                       |
|-----------------------------------------------------|-------------------------------------------------------|
| Configuration Type                                  | Loose or configurable                                 |
| Number of Poles                                     | 4                                                     |
| Order Multiple                                      | 1 piece                                               |
| Product Main Type                                   | Accessories for Tmax XT                               |
| Product Name                                        | Accessory                                             |
| Product Type                                        | Fixed Part                                            |
| Rated Frequency (f)                                 | 50 / 60 Hz                                            |
| Rated Impulse Withstand Voltage (U <sub>imp</sub> ) | 8 kV                                                  |
| Rated Insulation Voltage (U <sub>i</sub> )          | 1000 V                                                |
| Rated Operational Voltage                           | 690 V AC<br>500 V DC                                  |
| Rated Uninterrupted Current (I <sub>u</sub> )       | 160 A                                                 |
| Standards                                           | IEC60947-2                                            |
| Sub-type                                            | XT2                                                   |
| Suitable For                                        | XT2                                                   |
| Suitable for Product Class                          | SACE Tmax XT                                          |
| Terminal Connection Type                            | Withdrawable Circuit-Breakers<br>Rear flat Horizontal |

Version

W

Certificates and Declarations

|                                   |                                                             |
|-----------------------------------|-------------------------------------------------------------|
| Data Sheet, Technical Information | 1SDC210100D0206<br>1SDC210099D0206                          |
| Declaration of Conformity - CE    | Refer to the EU Declaration of the relative Circuit Breaker |
| Instructions and Manuals          | 1SDH000721R0005                                             |

Classifications

|                                    |                                                            |
|------------------------------------|------------------------------------------------------------|
| ETIM 7                             | EC002043 - Chassis part power circuit breaker              |
| ETIM 8                             | EC002043 - Chassis part power circuit breaker              |
| ETIM 9                             | EC002043 - Chassis part power circuit breaker              |
| IDEA Granular Category Code (IGCC) | 5219 >> Switch part or accessory                           |
| Object Classification Code         | Q                                                          |
| UNSPSC                             | 39122221                                                   |
| WEEE Category                      | 5. Small Equipment (No External Dimension More Than 50 cm) |
| eClass                             | V11.1 : 27370422                                           |

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Tmax XT

