




PRODUCT-DETAILS

4 OP/CL AUX CONT(2NO+2NC+2PR122-3)  
E2/6DC

4 OP/CL AUX CONT(2NO+2NC+2PR122-3)  
E2/6DC



| General Information   |                                                                                              |
|-----------------------|----------------------------------------------------------------------------------------------|
| Extended Product Type | 4 OP/CL AUX CONT(2NO+2NC+2PR122-3)E2/6DC                                                     |
| Product ID            | 1SDA068801R1                                                                                 |
| EAN                   | 8015644030513                                                                                |
| Catalog Description   | 4 OP/CL AUX CONT(2NO+2NC+2PR122-3)E2/6DC                                                     |
| Long Description      | 4 AUXILIARY CONTACT IN POSITION OPEN-CLOSED (2NO+2NC+2PR122-3) FOR PR122/DC-PR123/DC E2/6 DC |

| Circular Value                              |                                 |
|---------------------------------------------|---------------------------------|
| Conflict Minerals Reporting Template (CMRT) | Document availability on demand |
| Toxic Substances Control Act - TSCA         | 9AKK108467A8326                 |

| Environmental     |                                                                        |
|-------------------|------------------------------------------------------------------------|
| REACH Declaration | 9AKK108466A1425                                                        |
| RoHS Information  | 9AKK108466A1424                                                        |
| RoHS Status       | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |

Ordering

|                        |               |
|------------------------|---------------|
| EAN                    | 8015644030513 |
| Minimum Order Quantity | 1 piece       |
| Customs Tariff Number  | 85389099      |

Dimensions

|                    |      |
|--------------------|------|
| Product Net Weight | 1 kg |
|--------------------|------|

Container Information

|                       |             |
|-----------------------|-------------|
| Package Level 1 Units | box 1 piece |
|-----------------------|-------------|

Additional Information

|                                           |                       |
|-------------------------------------------|-----------------------|
| Configuration Type                        | Loose or configurable |
| Number of Auxiliary<br>Contacts CO (SPDT) | 4                     |
| Product Main Type                         | Accessories for Emax  |
| Product Name                              | Accessory             |
| Product Type                              | Accessory             |
| Standards                                 | IEC                   |
| Suitable For                              | E2, E3, E4, E6        |
| Suitable for Product Class                | SACE Emax             |

Certificates and Declarations

|                                      |                                                                          |
|--------------------------------------|--------------------------------------------------------------------------|
| Data Sheet, Technical<br>Information | 1SDC200012D0202                                                          |
| Declaration of Conformity<br>- CE    | 1SDL000165R0014<br>1SDL000165R0015<br>1SDL000165R0016<br>1SDL000165R0017 |
| Instructions and Manuals             | 1SDC200006D0209                                                          |

Classifications

|                            |                                                            |
|----------------------------|------------------------------------------------------------|
| ETIM 7                     | EC000041 - Auxiliary contact block                         |
| ETIM 8                     | EC000041 - Auxiliary contact block                         |
| ETIM 9                     | EC000041 - Auxiliary contact block                         |
| Object Classification Code | Q                                                          |
| UNSPSC                     | 39120000                                                   |
| WEEE Category              | 5. Small Equipment (No External Dimension More Than 50 cm) |
| eClass                     | V11.1 : 27371302                                           |

---

## Categories

---

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Accessories for Emax

