PRODUCT-DETAILS

T4N/PV 200 UL TMA 80-800 3p F F 1000V DC

T4N/PV 200 UL TMA 80-800 3p F F 1000V DC



General Information

Extended Product Type	T4N/PV 200 UL TMA 80-800 3p F F 1000V DC
Product ID	1SDA070463R1
EAN	8015644735548
Catalog Description	T4N/PV 200 UL TMA 80-800 3p F F 1000V DC
Long Description	C.BREAKER TMAX T4N/PV 200 UL/CSA 1000V DC FIXED THREE-POLE WITH FRONT TERMINALS AND THERMOMAGNETIC RELEASE TMA R 80 I3=400...800 A

Circular Value

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental

Environmental	9AKK10103A1057

© 2024 ABB. All rights reserved.

Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

EAN	8015644735548
Minimum Order Quantity	1 piece
Customs Tariff Number	85362090

Dimensions

Product Net Width	105 mm
Product Net Height	205 mm
Product Net Depth / Length	103.5 mm
Product Net Weight	2.35 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	248 mm
Package Level 1 Height	240 mm
Package Level 1 Depth / Length	285 mm
Package Level 1 Gross Weight	2.5 kg
Package Level 1 EAN	8015644735548

Additional Information

Current Type	DC
Number of Poles	3
Product Main Type	SACE Tmax T
Product Name	Moulded Case Circuit Breaker
Product Type	Automatic Circuit Breaker
Rated Operational Voltage	1000 V DC
Rated Ultimate Short-Circuit Breaking Capacity (I_{cu})	(1000 V DC) 7.5 kA
Rated Uninterrupted Current (I_u)	200 A
Release	TMA
Short-Circuit Performance Level	N
Standards	UL
Sub-type	T4
Version	F

Technical UL/CSA

© 2024 ABB. All rights reserved.

Interrupting Rating acc. to UL489	(1000 V DC) 7.5 kA

Certificates and Declarations

Data Sheet, Technical Information	1SDC210300D0201
Declaration of Conformity - CE	9AKK106713A9775
Instructions and Manuals	1SDH000779R0003

Classifications

ETIM 7	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 8	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 9	EC000228 - Power circuit-breaker for trafo/generator/installation protection
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27370409

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Tmax T



© 2024 ABB. All rights reserved.