



PRODUCT-DETAILS

T7D/PV-E 1600 4p F F M 1500V DC

T7D/PV-E 1600 4p F F M 1500V DC



General Information	
Extended Product Type	T7D/PV-E 1600 4p F F M 1500V DC
Product ID	1SDA073561R1
EAN	8015644744366
Catalog Description	T7D/PV-E 1600 4p F F M 1500V DC
Long Description	T7D/PV-E 1600 4p F F M 1500V DC

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK10103A1059
	9AKK108467A6707

REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
SCIP	f28d029b-0fee-48b8-b8ca-28a6eb042af5 Italy (IT)
Simplified SCIP	a79dd4ce-349c-4e21-9a08-256a1c2a42ca Germany (DE) 64e622e1-048d-4bfe-b5bd-6ca9aa448878 Germany (DE) 49beb09c-2c3b-4bc1-ae1a-69d62bae4a3c Croatia (HR) d6a882b1-5698-4ba0-bd9f-eae46b826a7c Czech Republic (CZ) 181c4b61-b2e3-4c95-9775-9dd07ca7bb36 Poland (PL) 0d3d19fa-5a2c-4690-a8b3-62d7e2cd911a Portugal (PT) 31cafed7-7b19-446e-96d3-89e71d57be5a Bulgaria (BG) 43b6cccf-8a7d-4f17-aea3-fbd2675d657a Sweden (SE) a3f125df-0579-47a6-8038-7725ceab6c8a Poland (PL) 9730b2ba-0b96-4888-823b-689dab492be3 France (FR) c923cc33-b8d0-4016-8ab0-9e6ce07a8cc4 Sweden (SE) d2bc9ccc-dc68-4a45-b715-6711c4753584 Germany (DE) 0861f791-ec08-4f75-abe7-43f8905c49d5 Germany (DE) df989f1b-f906-490a-b411-5a789441da88 France (FR) 9b50b67b-eede-46f0-b51b-270ea4de4b28 Netherlands (NL) 4a4c5a27-212d-4ca9-9fea-d57d0aa15e29 Spain (ES) e126abee-f19d-468f-9ffe-509775695416 Netherlands (NL) e8f533b9-b487-4d52-86c7-0abbd23876b4 Greece (GR) 58b9257b-09d2-4000-a358-fec7c991ec4f Norway (NO) 63d4d556-69d3-4679-8763-69672ab4f7e0 Finland (FI) 60fba14a-c93a-4e28-a5a3-11276df77b77 Netherlands (NL) 990276b2-fa3d-44b6-aaa5-705cf11f9b59 Poland (PL) 1bd5d7ec-64e1-495c-b273-502b338210a9 Netherlands (NL) 031b0961-0cdd-4401-b73b-2554501229ad Netherlands (NL) 80f59f4f-5967-4833-881b-038a792c2ac6 Estonia (EE) 715363f1-548f-4c2d-83fc-12f2ef781cf7 Germany (DE) fa554fd5-0d98-4e4b-b1c1-891e4c55646c Denmark (DK)

Ordering

EAN	8015644744366
Minimum Order Quantity	1 piece
Customs Tariff Number	85352100

Dimensions

Product Net Width	280 mm
Product Net Height	268 mm
Product Net Depth / Length	154 mm
Product Net Weight	12.5 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	360 mm
Package Level 1 Height	350 mm
Package Level 1 Depth / Length	360 mm
Package Level 1 Gross Weight	14 kg
Package Level 1 EAN	8015644744366

Additional Information

Current Type	DC
Number of Poles	4
Product Main Type	SACE Tmax T
Product Name	Moulded Case Circuit Breaker
Product Type	Switch Disconnector
Rated Current (I _n)	1600 A
Rated Voltage (U _r)	1500 V DC
Rated Impulse Withstand Voltage (U _{imp})	8 kV
Rated Insulation Voltage (U _i)	1500 V DC
Rated Operational Voltage	1500 V DC
Rated Short-time Withstand Current Low Voltage (I _{cw})	for 1 s 19.2 kA
Rated Uninterrupted Current (I _u)	1600 A
Remarks	ATLAS
Standards	IEC
Suitable For	T7M
Version	F

Certificates and Declarations

Data Sheet, Technical Information	1SDC210300D0201
Declaration of Conformity - CE	9AKK106713A9778
Instructions and Manuals	1SDH000789R0002

Classifications

ETIM 7	EC000216 - Switch disconnector
ETIM 8	EC000216 - Switch disconnector
ETIM 9	EC000216 - Switch disconnector (low voltage)
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27371403

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Tmax T

