




PRODUCT-DETAILS

RTC EKIP 24VDC E1.2-XT7M

RTC EKIP 24VDC E1.2-XT7M



General Information	
Extended Product Type	RTC EKIP 24VDC E1.2-XT7M
Product ID	1SDA073772R1
EAN	8015644777050
Catalog Description	RTC EKIP 24VDC E1.2-XT7M
Long Description	1 CHANGEOVER CONTACT OPEN-CLOSED FOR CONSENT CLOSING FOR EKIP V<24V CC E1.2-XT7M

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424

Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Order Code US and Canada	ZE1RTCDE
EAN	8015644777050
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Product Net Width	300 mm
Product Net Height	50 mm
Product Net Depth / Length	400 mm
Product Net Weight	0.2 kg

Package Level 1 Units	box 1 piece
Package Level 1 Width	300 mm
Package Level 1 Height	50 mm
Package Level 1 Depth / Length	400 mm
Package Level 1 Gross Weight	0.2 kg
Package Level 1 EAN	8015644777050

Configuration Type	Loose or configurable
Number of Auxiliary Contacts CO (SPDT)	1
Order Multiple	1 piece
Product Main Type	Accessories for Emax 2, Accessories for Tmax XT
Product Name	Accessory
Product Type	Accessory
Standards	IEC
Suitable For	XT7-XT7M, E1.2
Suitable for Product Class	SACE Tmax XT, SACE Emax 2

Data Sheet, Technical Information	1SDC200023D0209 1SDC210100D0204
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
<u>Instructions and Manuals</u>	1SDH000999R0614

ETIM 7	EC000041 - Auxiliary contact block
ETIM 8	EC000041 - Auxiliary contact block
ETIM 9	EC000041 - Auxiliary contact block
IDEA Granular Category Code (IGCC)	4743 >> Auxiliary contact block

Object Classification Code	Q
UNSPSC	39121522
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27371302

Categories

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Accessories for Emax 2

