



PRODUCT-DETAILS

KIT SHR E2.2 IU=2500 3PCS

KIT SHR E2.2 IU=2500 3PCS

General Information	
Extended Product Type	KIT SHR E2.2 IU=2500 3PCS
Product ID	1SDA074055R1
EAN	8015644779887
Catalog Description	KIT SHR E2.2 IU=2500 3PCS
Long Description	REAR TERMINALS HORIZONTAL DISTANCE 3pcs FOR FIXED E2.2 2500 A

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK108467A6707

REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

Order Code US and Canada	ZE2SHR25E
EAN	8015644779887
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Width	125 mm
Product Net Height	120 mm
Product Net Depth / Length	485 mm
Product Net Weight	1.5 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	125 mm
Package Level 1 Height	120 mm
Package Level 1 Depth / Length	485 mm
Package Level 1 Gross Weight	1.65 kg
Package Level 1 EAN	8015644779887

Additional Information

Configuration Type	Loose or configurable
Number of Poles	3
Product Main Type	Accessories for Emax 2
Product Name	Accessory
Product Type	Accessory
Standards	IEC
Suitable For	E2.2
Suitable for Product Class	SACE Emax 2

Certificates and Declarations

Data Sheet, Technical Information	1SDC200023D0204
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH001000R0801

Classifications	
ETIM 7	EC002019 - Connection vane/phase spreader
ETIM 8	EC002019 - Connection vane/phase spreader
ETIM 9	EC002019 - Connection vane/phase spreader
IDEA Granular Category Code (IGCC)	4604 >> Busbar terminal
Object Classification Code	Q
UNSPSC	39121432
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27371305

Categories
Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Accessories for Emax 2