



PRODUCT-DETAILS

EKIP LCD LI E1.2..E6.2
EKIP LCD LI E1.2..E6.2

General Information	
Extended Product Type	EKIP LCD LI E1.2..E6.2
Product ID	1SDA074204R1
EAN	8015644781378
Catalog Description	EKIP LCD LI E1.2..E6.2
Long Description	SOLID-STATE RELEASE EKIP/LCD-LI E1.2...E6.2

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK108467A6707

REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

Order Code US and Canada	ZEAELCDLI
EAN	8015644781378
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	1 kg
--------------------	------

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 EAN	8015644781378

Additional Information

Configuration Type	Loose or configurable
Current Type	AC
Product Main Type	Accessories for Emax 2
Product Name	Accessory
Product Type	Accessory
Release	Ekip Touch LI
Standards	IEC
Suitable For	E1.2, E2.2, E4.2, E6.2
Suitable for Product Class	SACE Emax 2

Certificates and Declarations

ATEX Certificate	No certification needed
Data Sheet, Technical Information	1SDC200023D0204
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
UL Certificate	No certification needed
VDE Certificate	No certification needed
Instructions and Manuals	1SDH001000R0508

Classifications

ETIM 7	EC001023 - Shunt release (for power circuit breaker)
ETIM 8	EC001023 - Shunt release (for power circuit breaker)
ETIM 9	EC001023 - Shunt release (for power circuit breaker)
IDEA Granular Category	4879 >> Shunt release (for power circuit breaker)

Code (IGCC)	
Object Classification Code	Q
UNSPSC	39121601
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27370418

Categories

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Accessories for Emax 2