



PRODUCT-DETAILS

KIT FC CuAl 14-1/0 AWG XT4 6pcs UL/CSA
KIT FC CuAl 14-1/0 AWG XT4 6pcs UL/CSA

General Information	
Extended Product Type	KIT FC CuAl 14-1/0 AWG XT4 6pcs UL/CSA
Product ID	1SDA075859R1
EAN	8015644798369
Catalog Description	KIT FC CuAl 14-1/0 AWG XT4 6pcs UL/CSA
Long Description	FRONT TERMINALS FOR CABLES IN COPPER-ALUMINIUM 14-1/0 AWG 6pcs XT4 UL/CSA

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental	9AKK108467A6707

Information	
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

Order Code US and Canada	KXT4CUAL1-6PC
EAN	8015644798369
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	1.2 kg
--------------------	--------

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	155 mm
Package Level 1 Height	185 mm
Package Level 1 Depth / Length	160 mm
Package Level 1 Gross Weight	1.3 kg
Package Level 1 EAN	8015644798369

Additional Information

Configuration Type	Loose or configurable
Number of Poles	3
Order Multiple	1 piece
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	Accessory
Remarks	ATLAS
Standards	UL489
Suitable For	XT4
Terminal Connection Type	Front for Copper-Aluminium Cables

Certificates and Declarations

Data Sheet, Technical Information	1SDC210200D0206 1SDC210199D0206
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH000719R0806

Classifications		
ETIM 7	EC002019 - Connection vane/phase spreader	
ETIM 8	EC002019 - Connection vane/phase spreader	
ETIM 9	EC002019 - Connection vane/phase spreader	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
eClass	V11.1 : 27371305	

Categories
Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax XT