



PRODUCT-DETAILS

E2.2/CS 2000 MP 3p  
E2.2/CS 2000 MP 3p

| General Information   |                    |
|-----------------------|--------------------|
| Extended Product Type | E2.2/CS 2000 MP 3p |
| Product ID            | 1SDA081778R1       |
| EAN                   | 8015644883454      |
| Catalog Description   | E2.2/CS 2000 MP 3p |
| Long Description      | E2.2/CS 2000 MP 3p |

| Circular Value                              |                 |
|---------------------------------------------|-----------------|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658 |
| Toxic Substances Control Act - TSCA         | 9AKK108467A8326 |

| Environmental             |                 |
|---------------------------|-----------------|
| Environmental Information | 9AKK108467A6707 |

|                   |                                                                        |
|-------------------|------------------------------------------------------------------------|
| REACH Declaration | 9AKK108466A1425                                                        |
| RoHS Information  | 9AKK108466A1424                                                        |
| RoHS Status       | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |

### Ordering

|                        |               |
|------------------------|---------------|
| EAN                    | 8015644883454 |
| Minimum Order Quantity | 1 piece       |
| Customs Tariff Number  | 85362090      |

### Dimensions

|                            |        |
|----------------------------|--------|
| Product Net Width          | 317 mm |
| Product Net Height         | 425 mm |
| Product Net Depth / Length | 383 mm |
| Product Net Weight         | 84 kg  |

### Container Information

|                       |               |
|-----------------------|---------------|
| Package Level 1 Units | box 1 piece   |
| Package Level 1 EAN   | 8015644883454 |

### Additional Information

|                                               |                                           |
|-----------------------------------------------|-------------------------------------------|
| Current Type                                  | AC                                        |
| Number of Poles                               | 3                                         |
| Product Main Type                             | SACE Emax 2                               |
| Product Name                                  | Derived Version                           |
| Product Type                                  | Derived version - Sectionalizing truck CS |
| Rated Current ( $I_n$ )                       | 2000 A                                    |
| Rated Voltage ( $U_r$ )                       | 690 V                                     |
| Rated Impulse Withstand Voltage ( $U_{imp}$ ) | 12 kV                                     |
| Rated Operational Voltage                     | 690 V AC                                  |
| Rated Uninterrupted Current ( $I_u$ )         | 2000 A                                    |
| Standards                                     | IEC                                       |
| Sub-type                                      | E2.2                                      |
| Version                                       | W                                         |

### Certificates and Declarations

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SDC200023D0209 |
| Instructions and Manuals          | 1SDH001000R0002 |

### Classifications

|               |                                                                              |
|---------------|------------------------------------------------------------------------------|
| ETIM 7        | EC002498 - Accessories for low-voltage switch technology                     |
| ETIM 8        | EC000228 - Power circuit-breaker for trafo/generator/installation protection |
| ETIM 9        | EC000228 - Power circuit-breaker for trafo/generator/installation protection |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm)                   |
| eClass        | V11.1 : 27370409                                                             |

---

**Categories**

---

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Emax 2