



PRODUCT-DETAILS

E2.2/MT 2000 MP 4p Earth DOWN
E2.2/MT 2000 MP 4p Earth DOWN

General Information	
Extended Product Type	E2.2/MT 2000 MP 4p Earth DOWN
Product ID	1SDA081787R1
EAN	8015644883546
Catalog Description	E2.2/MT 2000 MP 4p Earth DOWN
Long Description	E2.2/MT 2000 MP 4p Earth DOWN

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK108467A6707

REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

EAN	8015644883546
Minimum Order Quantity	1 piece
Customs Tariff Number	85362090

Dimensions

Product Net Width	407 mm
Product Net Height	425 mm
Product Net Depth / Length	383 mm
Product Net Weight	99 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 EAN	8015644883546

Additional Information

Current Type	AC
Neutral Pole Current ([% I _n])	100 %
Number of Poles	4
Product Main Type	SACE Emax 2
Product Name	Derived Version
Product Type	Derived version - Earthing truck MT
Rated Current (I _n)	2000 A
Rated Voltage (U _r)	690 V
Rated Impulse Withstand Voltage (U _{imp})	12 kV
Rated Operational Voltage	690 V AC
Rated Uninterrupted Current (I _u)	2000 A
Standards	IEC
Sub-type	E2.2
Version	W

Certificates and Declarations

Data Sheet, Technical Information	1SDC200023D0209
Instructions and Manuals	1SDH001000R0002

Classifications	
ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 9	EC000228 - Power circuit-breaker for trafo/generator/installation protection
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27370409

Categories

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Emax 2