



PRODUCT-DETAILS

T4N/PV-E 250 TMF 100 4p F F 1500VDC

T4N/PV-E 250 TMF 100 4p F F 1500VDC



General Information

Extended Product Type	T4N/PV-E 250 TMF 100 4p F F 1500VDC
Product ID	1SDA082910R1
EAN	8015644894832
Catalog Description	T4N/PV-E 250 TMF 100 4p F F 1500VDC
Long Description	C.BREAKER TMAX T4N/PV-E 250 1500V DCFIXED FOUR-POLE WITH FRONT TERMINALSAND THERMOMAGNETIC RELEASETMF R 100-1000 A

Circular Value

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental

Environmental Information	9AKK10103A1057 9AKK108467A6707
REACH Declaration	9AKK108466A1425

RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
SCIP	2d7ed0a4-5dcd-460e-82ad-6615dd055500 Italy (IT)
Simplified SCIP	bff0e458-20b9-4e01-a2ab-d803ffd401f3 Germany (DE) b1079adf-731a-426a-ab5d-c8016c707cfd Netherlands (NL) 3dc20064-54c3-49a4-9c2e-2ec0cefab672 Spain (ES) 071eeaaa-4d35-4ed7-9719-f5a4c79e60b9 Netherlands (NL) 4c68b397-f0de-434b-8b7d-b0398f85b10e Finland (FI) bfa74af1-405c-4725-825d-5eed267b997c Poland (PL) 36d613dc-e4e4-4a22-abea-40cb72ce6c38 Norway (NO) f95c66c4-3e8c-406e-835c-56c328624709 Netherlands (NL) f5bec5ae-6438-4dbc-a455-e0853a123567 Germany (DE) 9e8bbfd7-c070-4da3-8698-32a622071a9d Denmark (DK) b0046e3f-8ed7-41b2-be27-19aa94bc1810 Germany (DE) 7a841ea8-1c53-4b87-8719-848f749e02cf Croatia (HR) e2ed7617-17de-42e3-9505-4db89e96446e Czech Republic (CZ) a0c25a05-0391-4d7d-8ab2-1f0d75d9673c Poland (PL) e747f6eb-e90a-417e-9b73-e39c916e2f2d Netherlands (NL) d677a0a5-b3d4-4b77-a23b-7c51543e68ff Netherlands (NL) 6ce67e89-f0b4-43fa-94fe-4b9fac4a45f9 Estonia (EE) f1722874-3dcd-4163-9cef-ecd78a08faec Greece (GR) 76d8f8ab-945a-4a6b-afc4-7f5d8c372023 Poland (PL) 464d1776-5604-4fdd-a836-f9058978bc73 France (FR) 005818b3-cbb4-49af-a297-41943d202148 Sweden (SE) bd94ca1e-f076-41ce-a280-16369ff31288 Germany (DE) 8c85acc5-e939-4738-8613-fa84c2edfc74 Germany (DE) ac8bda80-461b-4e7b-bf13-5d65a157fa77 France (FR) 6843faeb-4cb8-42b7-93d2-e6b22ceae143 Portugal (PT) 080676ae-733a-4259-a3eb-7e39b2862502 Bulgaria (BG) 5e34ed6d-29cb-431c-a75c-8510276c9921 Sweden (SE)

Ordering

EAN	8015644894832
Minimum Order Quantity	1 piece
Customs Tariff Number	85352100

Dimensions

Product Net Width	140 mm
Product Net Height	205 mm
Product Net Depth / Length	103.5 mm
Product Net Weight	3.05 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	248 mm
Package Level 1 Height	240 mm
Package Level 1 Depth / Length	285 mm
Package Level 1 Gross Weight	3.5 kg
Package Level 1 EAN	8015644894832

Additional Information

Number of Poles	4
Product Main Type	SACE Tmax T
Product Name	Moulded Case Circuit Breaker
Product Type	Automatic Circuit Breaker
Rated Operational Voltage	1500 V DC
Rated Ultimate Short-	(1500 V DC) 7.5 kA

Circuit Breaking Capacity (I _{cu})	
Rated Uninterrupted Current (I _u)	250 A
Release	TMF
Standards	IEC
Sub-type	T4
Version	F

Certificates and Declarations

Data Sheet, Technical Information	1SDC210300D0201
Declaration of Conformity - CE	9AKK106713A9775
Instructions and Manuals	1SDH000779R0004

Classifications

ETIM 7	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 8	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 9	EC000228 - Power circuit-breaker for trafo/generator/installation protection
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27370409

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Tmax T

