



PRODUCT-DETAILS

T4V-HA250 TMA125-1250 4pFF 800V AC
N100%

T4V-HA250 TMA125-1250 4pFF 800V AC
N100%



General Information	
Extended Product Type	T4V-HA250 TMA125-1250 4pFF 800V AC N100%
Product ID	1SDA083649R1
EAN	8015644904913
Catalog Description	T4V-HA250 TMA125-1250 4pFF 800V AC N100%
Long Description	C.BREAKER TMAX T4V-HA 250 800V AC FIXED FOUR-POLE WITH FRONT TERMINALS AND THERMOMAGNETIC RELEASE TMA R 125-1250 A FULLY RATED NEUTRAL IEC/CCC

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK10103A1057 9AKK108467A6707

REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
SCIP	44f7ed05-7636-492e-95f1-f43099148a8e Italy (IT)
Simplified SCIP	354d1e0f-1432-4ccc-9eac-9be1a58a6821 Germany (DE) e132704f-14ce-4b65-b5b5-51b5eb51e8 Germany (DE) c7e00197-dbc6-4467-9da5-fea07b882f7b Netherlands (NL) 513d10cc-9f76-4665-8b24-96af37bdca9a Poland (PL) abe54bed-ce6a-4da3-9178-3eca20932871 Norway (NO) 6d869ceb-1ac8-452f-816d-6fd9bd961dc8 Finland (FI) fd443cd3-9f8c-4e22-8a43-d640bb929aff Netherlands (NL) 3b701d47-de72-48fa-a2ac-8ef318d18cbd Denmark (DK) c62fdbc9-6f3e-45bd-8fb5-9ec70f92ed07 Germany (DE) 440ac850-7c8b-4dce-ad5a-8d0ea1b6e378 Croatia (HR) 1b21c84e-6cd7-46fa-88e8-c0e25cdb1a57 Czech Republic (CZ) 3d795fd0-625f-4974-a39a-d277b7e489ed Poland (PL) 4c83a399-e1f9-40dc-b359-f2c5c0016d0b Netherlands (NL) 0180c280-894a-4388-8eca-6719a7007243 Estonia (EE) da2f90a9-093e-4601-a2ea-0aedd7bc994a Greece (GR) 839ecb82-fed9-49c4-9116-8ccf100dfa8b Portugal (PT) 25aca5b2-a31b-4e31-9f51-96b8957656ee Bulgaria (BG) 42416ba3-7afc-4e74-a54f-cc52cee34d4a Sweden (SE) 451c59af-4091-4307-8b08-be95756cd589 Poland (PL) 73b24c04-a0a5-4a2b-aa02-d4968d8208d2 France (FR) 8b935fe0-a156-4fde-9bac-9a20b14fd4dd Sweden (SE) 1f086d18-118a-44e6-840d-a6359fe74a48 Germany (DE) 3aa50411-d29a-41b9-93bc-c0ad9706f550 Germany (DE) 3275039f-e106-4953-979b-b8404f57476c France (FR) 45b5ce42-116c-43cc-808d-0727117d72f8 Netherlands (NL) 57b56cd0-acc3-43da-ad6b-c6d7345c25bb Spain (ES) a7843728-af11-4667-a1c2-d3d4ea4b08dd Netherlands (NL)

Ordering

Order Code US and Canada	T4P8VE125TW-4
EAN	8015644904913
Minimum Order Quantity	1 piece
Customs Tariff Number	85352100

Dimensions

Product Net Width	140 mm
Product Net Height	205 mm
Product Net Depth / Length	103.5 mm
Product Net Weight	3.5 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	248 mm
Package Level 1 Height	240 mm
Package Level 1 Depth / Length	285 mm
Package Level 1 Gross Weight	3.5 kg
Package Level 1 EAN	8015644904913

Additional Information

Product Main Type	SACE Tmax T
Product Name	Moulded Case Circuit Breaker
Product Type	Automatic Circuit Breaker

Remarks

ATLAS

Certificates and Declarations

Data Sheet, Technical Information	1SDC210300D0201
Declaration of Conformity - CE	9AKK1074920315
Instructions and Manuals	1SDH001607R0001

Classifications

ETIM 7	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 8	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 9	EC000228 - Power circuit-breaker for trafo/generator/installation protection
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27370409

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Tmax T

