



PRODUCT-DETAILS

T5V-HA 400 TMA 400-4000 3p F F 800V AC

T5V-HA 400 TMA 400-4000 3p F F 800V AC



General Information	
Extended Product Type	T5V-HA 400 TMA 400-4000 3p F F 800V AC
Product ID	1SDA083665R1
EAN	8015644905071
Catalog Description	T5V-HA 400 TMA 400-4000 3p F F 800V AC
Long Description	C.BREAKER TMAX T5V-HA 400 800V AC FIXED THREE-POLE WITH FRONT TERMINALS AND THERMOMAGNETIC RELEASE TMA R 400 I3=2000...4000 A IEC/CCC

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental	9AKK10103A1056

Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
SCIP	320da245-c7f7-4f69-8f34-4f57f3242a29 Italy (IT)
Simplified SCIP	b7da550f-1b15-435c-83c7-c3b2e84fd22c Germany (DE) 06cda82c-0e91-4232-ae04-0a45f5dce774 France (FR) f20a781b-a9c8-4b31-a7d0-bc52d61c420d Netherlands (NL) 32304703-d0c9-49ce-9d40-9e47348e16d0 Spain (ES) 70aab419-4ae8-406a-90c2-c0dc0b4f6d27 Netherlands (NL) d94ddbc9-f875-476d-82ce-de37686faa06 Germany (DE) 9f290e88-7abb-48e7-81b6-9c58e5e19613 Netherlands (NL) b4d5911a-5f17-47c3-bcf7-c6159164a35c Poland (PL) 67acdb46-8422-49ae-ba30-8104ccb03cb0 Norway (NO) e437235a-1779-46df-9bae-fc6c06d3576b Finland (FI) ba573020-bd57-41cb-931b-de0c6c200817 Netherlands (NL) 1b8f032d-fca4-4b88-a19c-6dbc76c81732 Denmark (DK) 23209525-59a6-4e27-8656-9a667772add4 Germany (DE) 5c07f32b-77b9-4a48-9346-896791820678 Croatia (HR) 229a687e-6506-4fe2-a71c-c058b8988c90 Czech Republic (CZ) dc3f4cfd-ab78-46cf-b31a-8931708b420b Poland (PL) e12244c2-f1dd-4394-9b04-b4acb1631fe9 Netherlands (NL) d3c86e74-cbc5-41f5-8684-0e83a6dca511 Estonia (EE) 1725f418-7c13-4cbf-a97c-d44bf6de75e5 Greece (GR) 35fbcebd-2763-4cbc-95c2-35ea278d7b31 Portugal (PT) a5d7de28-c2ab-4032-95af-9fa789045764 Bulgaria (BG) c8557da7-1fe3-475f-b97e-d89b14f5adf3 Sweden (SE) 9988c204-0624-4b64-9d97-ffc4938a6f7b Poland (PL) 9fe36ba6-1581-4275-bbb9-48f32a6e000f France (FR) ee3c3076-07a7-4573-98e9-1ff5a2e57099 Sweden (SE) 2a76e41f-bf1e-482d-ac44-9127f90e8328 Germany (DE) 578a7874-0f0a-405d-9e7e-6183d170d98e Germany (DE)

Ordering

Order Code US and Canada	T5P8VE400TW
EAN	8015644905071
Minimum Order Quantity	1 piece
Customs Tariff Number	85352100

Dimensions

Product Net Width	140 mm
Product Net Height	205 mm
Product Net Depth / Length	103.5 mm
Product Net Weight	4.8 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	248 mm
Package Level 1 Height	240 mm
Package Level 1 Depth / Length	285 mm
Package Level 1 Gross Weight	4.8 kg
Package Level 1 EAN	8015644905071

Additional Information

Product Main Type	SACE Tmax T
Product Name	Moulded Case Circuit Breaker
Product Type	Automatic Circuit Breaker
Remarks	ATLAS

Certificates and Declarations

Data Sheet, Technical Information	1SDC210300D0201
Declaration of Conformity - CE	9AKK1074920313
Instructions and Manuals	1SDH001608R0001

Classifications

ETIM 7	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 8	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 9	EC000228 - Power circuit-breaker for trafo/generator/installation protection
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27370409

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Tmax T

