



PRODUCT-DETAILS

T4V-HA250 UL TMA150-1500 4pFF 800VAC
N%

T4V-HA250 UL TMA150-1500 4pFF 800VAC
N%



General Information	
Extended Product Type	T4V-HA250 UL TMA150-1500 4pFF 800VAC N%
Product ID	1SDA083671R1
EAN	8015644905132
Catalog Description	T4V-HA250 UL TMA150-1500 4pFF 800VAC N%
Long Description	C.BREAKER TMAX T4V-HA 250UL 800V FIXED FOUR-POLE WITH FRONT TERMINALS AND THERMOMAGNETIC RELEASE TMA R 150-1500 A FULLY RATED NEUTRAL UL/CCC

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK10103A1057 9AKK108467A6707

REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

Order Code US and Canada	T4P8VQ150TW-4
EAN	8015644905132
Minimum Order Quantity	1 piece
Customs Tariff Number	85352100

Dimensions

Product Net Width	140 mm
Product Net Height	205 mm
Product Net Depth / Length	103.5 mm
Product Net Weight	3.5 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	248 mm
Package Level 1 Height	240 mm
Package Level 1 Depth / Length	285 mm
Package Level 1 Gross Weight	3.5 kg
Package Level 1 EAN	8015644905132

Additional Information

Number of Poles	4
Product Main Type	SACE Tmax T
Product Name	Moulded Case Circuit Breaker
Product Type	Automatic Circuit Breaker
Rated Operational Voltage	800 V AC
Rated Uninterrupted Current (I _u)	250 A
Release	TMA
Remarks	ATLAS
Standards	UL
Sub-type	T4

Technical UL/CSA

Interrupting Rating acc. to UL489	(800 V AC) 25 kA
-----------------------------------	------------------

Certificates and Declarations

Data Sheet, Technical Information	1SDC210300D0201
Declaration of Conformity - CE	9AKK1074920315

Classifications

ETIM 7	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 8	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 9	EC000228 - Power circuit-breaker for trafo/generator/installation protection
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27370409

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Tmax T

