




---

 PRODUCT-DETAILS

# T5V-HA400 UL TMA300-3000 4pFF 800VAC N%

## T5V-HA400 UL TMA300-3000 4pFF 800VAC N%




---

**General Information**

|                       |  |
|-----------------------|--|
| Extended Product Type | T5V-HA400 UL TMA300-3000 4pFF 800VAC N%  |
| Product ID            | 1SDA083679R1   |
| EAN                   | 8015644905217  |
| Catalog Description   | T5V-HA400 UL TMA300-3000 4pFF 800VAC N%  |
| Long Description      | C.BREAKER TMAX T5V-HA 400UL 800V FIXED FOUR-POLE WITH FRONT TERMINALS AND THERMOMAGNETIC RELEASE TMA R 300-3000 A FULLY RATED NEUTRAL UL/CCC |

---

**Circular Value**

|   |                 |
|---|-----------------|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658 |
| Toxic Substances Control Act - TSCA         | 9AKK108467A8326 |

---

**Environmental**

|               |                |
|---------------|----------------|
| Environmental | 9AKK10103A1056 |
|---------------|----------------|

|                   |  |
|-------------------|--|
| Information       | 9AKK108467A6707  |
| REACH Declaration | 9AKK108466A1425  |
| RoHS Information  | 9AKK108466A1424  |
| RoHS Status       | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |

## Ordering

|                          |               |
|--------------------------|---------------|
| Order Code US and Canada | T5P8VQ300TW-4 |
| EAN                      | 8015644905217 |
| Minimum Order Quantity   | 1 piece       |
| Customs Tariff Number    | 85352100      |

## Dimensions

|                            |          |
|----------------------------|----------|
| Product Net Width          | 186 mm   |
| Product Net Height         | 205 mm   |
| Product Net Depth / Length | 103.5 mm |
| Product Net Weight         | 5.8 kg   |

## Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | box 1 piece   |
| Package Level 1 Width          | 248 mm        |
| Package Level 1 Height         | 240 mm        |
| Package Level 1 Depth / Length | 285 mm        |
| Package Level 1 Gross Weight   | 5.8 kg        |
| Package Level 1 EAN            | 8015644905217 |

## Additional Information

|   |                              |
|---|------------------------------|
| Number of Poles                               | 4                            |
| Product Main Type                             | SACE Tmax T                  |
| Product Name                                  | Moulded Case Circuit Breaker |
| Product Type                                  | Automatic Circuit Breaker    |
| Rated Operational Voltage                     | 800 V AC                     |
| Rated Uninterrupted Current (I <sub>u</sub> ) | 400 A                        |
| Release                                       | TMA                          |
| Remarks                                       | ATLAS                        |
| Standards                                     | UL                           |
| Sub-type                                      | T5                           |

## Technical UL/CSA

|                                   |                  |
|-----------------------------------|------------------|
| Interrupting Rating acc. to UL489 | (800 V AC) 25 kA |
|-----------------------------------|------------------|

---

## Certificates and Declarations

---

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SDC210300D0201 |
| Declaration of Conformity - CE    | 9AKK1074920313  |
| Instructions and Manuals          | 1SDH001608R0001 |

---

---

## Classifications

---

|               |  |
|---------------|--|
| ETIM 7        | EC000228 - Power circuit-breaker for trafo/generator/installation protection |
| ETIM 8        | EC000228 - Power circuit-breaker for trafo/generator/installation protection |
| ETIM 9        | EC000228 - Power circuit-breaker for trafo/generator/installation protection |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm)                   |
| eClass        | V11.1 : 27370409   |

---

---

## Categories

---

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Tmax T

