



PRODUCT-DETAILS

E2.2S/E9 2000 Ekip Touch LSI 4p FHR

E2.2S/E9 2000 Ekip Touch LSI 4p FHR



General Information	
Extended Product Type	E2.2S/E9 2000 Ekip Touch LSI 4p FHR
Product ID	1SDA104341R1
EAN	8015644064211
Catalog Description	E2.2S/E9 2000 Ekip Touch LSI 4p FHR
Long Description	C.BREAKER SACE EMAX2 E2.2S 2000 FIXED FOUR-POLE WITH TERMINALS REAR HORIZONTAL AND SOLID-STATE RELEASE IN AC EKIP/TOUCH-LSI R 2000 FITTED WITH: 4 AUXILIARY CONTACT AND C.BREAKER IN POSITION OPEN-CLOSED 900V

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental

Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
SCIP	79424a59-2929-4b89-80e1-a19bc8352821 Italy (IT)
Simplified SCIP	60b2a233-6483-4d57-83f6-a10074b35ce1 Germany (DE) f2bf1b87-68bc-49d4-9a0f-b265ca954292 Netherlands (NL) ae0703ee-df21-4be5-87e2-b6129965f92e Bulgaria (BG) 00d7fed7-6575-4e56-ad6d-5ba9151259e8 Sweden (SE) b8425f00-5fe7-470d-b651-994190cb5613 Croatia (HR) 4a440596-b8bc-4ea4-bc39-c4f20fdac3b8 Greece (GR) 021bf796-7549-4bfa-8b3b-4b96347aa2a1 Portugal (PT) 6f5b10ee-b14a-4e98-bcc9-f49279c8895e Belgium (BE) bc03f59b-3600-42e3-85fc-e5bbcd3ab418 Spain (ES) 5334b1a8-e873-4f55-8674-6c2284612a6d Hungary (HU) fd533733-dd3a-4418-8a95-6862201bf105 Hungary (HU) 26a6b711-a37b-4836-9fa4-90b1878dd69e Norway (NO) 7747aafb-e2e4-4eb8-815d-91244870bb07 Poland (PL) d084fab1-9b9e-4127-8e8f-c6e2f1e698f9 Finland (FI) 41c96fb7-8317-40b7-82e1-13bb36bccafb France (FR) fc88288d-817b-4454-8bc7-12a57128c002 Estonia (EE) f6dd6db7-e8f8-49b5-948d-6a784c873db1 Germany (DE) ef531cc0-8baa-4ffb-ae23-36dc1b2c1c08 Denmark (DK) fa67aa20-d402-4319-a128-5075e44fa1ef Germany (DE) f332ea6b-274f-4844-b0ab-79fbcaede817 Germany (DE) 2d425e69-671e-4ee7-9e8e-54aff251a1c9 Germany (DE) 7d2dd24a-9be0-4d2f-9f7e-13bc125d3ae1 Belgium (BE) e2a4ed8c-19ff-47fa-ad9f-b57e0740213a Sweden (SE) 1dd11362-3e55-455e-82b0-631a6b1fef33 Poland (PL) 593d786c-c921-4856-897a-4069d41b9933 Czech Republic (CZ) 0a64baea-1427-411a-857a-16f91c2c1d02 Poland (PL) 0e12269f-43af-497a-9956-938d9667bb9f France (FR)

Ordering

Order Code US and Canada	9BSTEKBE000A000000XX
EAN	8015644064211
Minimum Order Quantity	1 piece
Customs Tariff Number	85362090

Dimensions

Product Net Width	366 mm
Product Net Height	371 mm
Product Net Depth / Length	270 mm
Product Net Weight	53 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	515 mm
Package Level 1 Height	610 mm
Package Level 1 Depth / Length	515 mm
Package Level 1 Gross Weight	53 kg
Package Level 1 EAN	8015644064211

Additional Information	
Current Type	AC
Electrical Durability	Ue = 900 V 2000 cycle 30 cycles per hour
Mechanical Durability	25000 cycle 60 cycles per hour
Number of Poles	4
Power Loss	212 W
Product Main Type	SACE Emax 2
Product Name	Air Circuit Breaker
Product Type	Air Circuit Breaker
Rated Current (I _n)	2000 A
Rated Voltage (U _r)	900 V
Rated Impulse Withstand Voltage (U _{imp})	acc. to IEC 60947-2 12 kV
Rated Insulation Voltage (U _i)	AC 1000 V
Rated Operational Voltage	900 V AC
Rated Service Short- Circuit Breaking Capacity (I _{cs})	(800 V AC) 50 kA (900 V AC) 50 kA
Rated Short-time Withstand Current Low Voltage (I _{cw})	for 1 s 50 kA for 3 s 50 kA
Rated Ultimate Short- Circuit Breaking Capacity (I _{cu})	(800 V AC) 50 kA (900 V AC) 50 kA
Rated Uninterrupted Current (I _u)	2000 A
Release	Ekip Touch LSI
Release Type	EL
Remarks	E9
Short-Circuit Performance Level	S
Standards	IEC
Sub-type	E2.2
Terminal Connection Type	Rear flat Horizontal
Version	F

Certificates and Declarations	
Data Sheet, Technical Information	1SDC200023D0209
Declaration of Conformity - CE	9AKK107680A4888
Instructions and Manuals	1SDH001000R0002
Instructions and Manuals (Part 2)	1SDH001316R1002

Classifications

ETIM 7	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 8	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 9	EC000228 - Power circuit-breaker for trafo/generator/installation protection
Object Classification Code	Q
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27370409

Categories

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Emax 2

