



 PRODUCT-DETAILS

E4.2S/E9 3200 Ekip Touch LSIg 3p FHR

E4.2S/E9 3200 Ekip Touch LSIg 3p FHR



General Information

Extended Product Type	E4.2S/E9 3200 Ekip Touch LSIg 3p FHR
Product ID	1SDA104379R1
EAN	8015644064594
Catalog Description	E4.2S/E9 3200 Ekip Touch LSIg 3p FHR
Long Description	C.BREAKER SACE EMAX2 E4.2S 3200 FIXED THREE-POLE WITH TERMINALS REAR HORIZONTAL AND SOLID-STATE RELEASE IN AC EKIP/TOUCH-LSIG R 3200 FITTED WITH: 4 AUXILIARY CONTACT AND C.BREAKER IN POSITION OPEN-CLOSED 900V

Circular Value

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental

Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
SCIP	38a4ebf0-32c1-4994-a838-cf1402e9016d Italy (IT)
Simplified SCIP	b316bc6c-9e51-4e7d-963f-a6486655d13c Germany (DE) 8cec9de5-f435-42dc-a6da-a0f35320a1fa France (FR) a2836fb8-1700-45d9-afd7-db17f0dfd720 Spain (ES) b37a3662-ebfa-4424-b0b0-adf602a23138 Belgium (BE) fed08a87-ee59-4b1a-b047-d0736ec630d0 Hungary (HU) 533d9c74-c3b1-4538-9966-3af7771bbd53 Netherlands (NL) c3ee527c-b7ce-40be-baae-046d9d408a00 Poland (PL) 55b76718-0d39-4be1-97e1-3d9b9ed9739f Czech Republic (CZ) 51e37843-56f7-4a8e-a79c-9bbd2693f629 Poland (PL) e732b6c9-bb19-4e76-9a00-25f0f6d891ee Germany (DE) 2e5015ff-4bbc-4796-b8a4-3f188418a09d Estonia (EE) 86c43dc8-4e28-4e0f-995c-e62529a28633 Germany (DE) eec71833-08d9-4b8f-b8e0-d63612ecf74a Germany (DE) bd00e75e-d0da-4c42-8b11-8e9f3d0138e4 Germany (DE) abddfd11-0854-4229-99a1-2819b30fa1aa Denmark (DK) 9d8fb1a3-c8ad-4732-bd30-aa05246eb12c Sweden (SE) 72baecb2-6d6e-48d7-bc71-e8eeba1b7eec Belgium (BE) 0b2a1c12-abaa-4e20-ba0c-cbfa49c30bf5 Finland (FI) f2d778f7-8853-4725-9be2-3eed7da9dc8 Poland (PL) cbaa7960-85f1-4fa5-a531-b9156c1ec780 Norway (NO) c08d0c6d-92e5-4533-97bb-81cb778b2767 Hungary (HU) aded8f03-6fb6-4387-9cc4-3022df31f6f8 France (FR) a3342bbe-6ac0-4846-bce7-830eb257fd34 Greece (GR) 68bb87e2-24a3-4235-ab3f-cf3453364fbc Bulgaria (BG) b8005a4e-e716-4268-b134-d51b641a8763 Sweden (SE) 619421d2-f113-40a4-93b1-c5075f3c10ab Portugal (PT) 160235ae-3054-4d6a-b15b-0d1417d5d1f8 Croatia (HR)

Ordering

Order Code US and Canada	94SVENBF000A000000XX
EAN	8015644064594
Minimum Order Quantity	1 piece
Customs Tariff Number	85362090

Dimensions

Product Net Width	384 mm
Product Net Height	371 mm
Product Net Depth / Length	270 mm
Product Net Weight	56 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	515 mm
Package Level 1 Height	610 mm
Package Level 1 Depth / Length	615 mm
Package Level 1 Gross Weight	67 kg
Package Level 1 EAN	8015644064594

Additional Information

Current Type	AC
Electrical Durability	Ue = 900 V 1000 cycle 10 cycles per hour
Mechanical Durability	20000 cycle 60 cycles per hour
Number of Poles	3
Power Loss	425 W
Product Main Type	SACE Emax 2
Product Name	Air Circuit Breaker
Product Type	Air Circuit Breaker
Rated Current (I _n)	3200 A
Rated Voltage (U _r)	900 V
Rated Impulse Withstand Voltage (U _{imp})	acc. to IEC 60947-2 12 kV
Rated Insulation Voltage (U _i)	AC 1000 V
Rated Operational Voltage	900 V AC
Rated Service Short- Circuit Breaking Capacity (I _{cs})	(800 V AC) 65 kA (900 V AC) 65 kA
Rated Short-time Withstand Current Low Voltage (I _{cw})	for 1 s 65 kA for 3 s 65 kA
Rated Ultimate Short- Circuit Breaking Capacity (I _{cu})	(800 V AC) 65 kA (900 V AC) 65 kA
Rated Uninterrupted Current (I _u)	3200 A
Release	Ekip Touch LSIG
Release Type	EL
Remarks	E9
Short-Circuit Performance Level	S
Standards	IEC
Sub-type	E4.2
Terminal Connection Type	Rear flat Horizontal
Version	F

Certificates and Declarations

Data Sheet, Technical Information	1SDC200023D0209
Declaration of Conformity - CE	9AKK107680A4889
Instructions and Manuals	1SDH001000R0002
Instructions and Manuals (Part 2)	1SDH001316R1002

Classifications

ETIM 7	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 8	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 9	EC000228 - Power circuit-breaker for trafo/generator/installation protection
Object Classification Code	Q
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27370409

Categories

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Emax 2

