



PRODUCT-DETAILS

E4.2H/E9 3200 Ekip Touch LSI 4p WMP 900V
E4.2H/E9 3200 Ekip Touch LSI 4p WMP 900V



General Information	
Extended Product Type	E4.2H/E9 3200 Ekip Touch LSI 4p WMP 900V
Product ID	1SDA104531R1
EAN	8015644066116
Catalog Description	E4.2H/E9 3200 Ekip Touch LSI 4p WMP 900V
Long Description	MOVING PART FOR C.BREAKER SACE EMAX2 E4.2H 3200 FOUR-POLE WITH SOLID-STATE RELEASE IN AC EKIP/TOUCH-LSI R 3200 FITTED WITH: 4 AUXILIARY CONTACT AND C.BREAKER IN POSITION OPEN-CLOSED 900V

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental

Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
SCIP	f2a932ec-e1a1-4098-becf-9a2a768b3a7d Italy (IT)
Simplified SCIP	faf4ee2b-cf61-48d8-a4c6-502a069890e6 Germany (DE) a00e4c6a-949e-41dc-ba36-c20fe68d7b28 France (FR) 62f36a5d-1eb2-4ee0-828c-75c2eaa3f5ee Hungary (HU) 241ed12e-82fc-43c9-80c7-418c1a9473f4 Netherlands (NL) 44d9dade-a026-43ef-b433-13cd90bc82d5 Czech Republic (CZ) 8b9f208b-ace9-41f2-9958-53fc9a2dcc27 Poland (PL) bca1696e-1764-4014-a3a2-1d58f05aa5de Poland (PL) e750c140-cb6b-46f0-9a84-80f372d1803b Poland (PL) 8031a6d6-3cd9-471a-bc27-19bdadc636ed Norway (NO) e95e1585-ff8f-43bc-81bf-ee7d81ebde1d Hungary (HU) 6377beb4-b33e-467b-a6e1-3dabec27df1c France (FR) 48db2402-cc4f-445b-957c-74ea6bc9b0a4 Finland (FI) 66cad3b6-b0e3-4ee1-8930-fcd93fd281a7 Belgium (BE) ceb4b1fe-311f-4e3c-8ed8-0a43848ee9bc Denmark (DK) 00557114-76bf-405f-82ab-8b217ed5428b Germany (DE) 7c47a013-bdf2-44f5-8872-2cb9d7c4ca4e Sweden (SE) c7f40bc8-0d9a-4d5d-ba51-53866f558c6d Germany (DE) 761fe500-d9de-4e05-ab8e-8586147abc40 Germany (DE) a5e6fe43-f526-47b7-99f5-15ac5cdfef548 Estonia (EE) 851d0a26-63ff-446b-a17a-a617c650c2a5 Germany (DE) abb7c825-d043-4b3e-ad0d-406625a8c9c7 Belgium (BE) 05f8f8a0-dd90-4e01-b07f-704c3fdc9d0f Spain (ES) 8d0aaa1f-83c9-46a7-ad36-d90257856094 Greece (GR) eb9b7baa-0675-4d5d-8c73-f2a9daffc84e Portugal (PT) e1ba2b3c-1ac4-4e53-bc73-d2ca3bdf062e Croatia (HR) 225ed368-8395-454d-bd46-eb5d7500076d Sweden (SE) 13f4d76a-7563-4b29-98d3-0a7f5e3cd717 Bulgaria (BG)

Ordering

Order Code US and Canada	9CHVENAE000A000000XX
EAN	8015644066116
Minimum Order Quantity	1 piece
Customs Tariff Number	85362090

Dimensions

Product Net Width	551 mm
Product Net Height	425 mm
Product Net Depth / Length	383 mm
Product Net Weight	74 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	515 mm
Package Level 1 Height	610 mm
Package Level 1 Depth / Length	615 mm
Package Level 1 Gross Weight	85 kg
Package Level 1 EAN	8015644066116

Additional Information	
Current Type	AC
Electrical Durability	Ue = 900 V 1000 cycle 10 cycles per hour
Mechanical Durability	20000 cycle 60 cycles per hour
Number of Poles	4
Power Loss	743 W
Product Main Type	SACE Emax 2
Product Name	Air Circuit Breaker
Product Type	Air Circuit Breaker
Rated Current (I _n)	3200 A
Rated Voltage (U _r)	900 V
Rated Impulse Withstand Voltage (U _{imp})	acc. to IEC 60947-2 12 kV
Rated Insulation Voltage (U _i)	AC 1000 V
Rated Operational Voltage	900 V AC
Rated Service Short- Circuit Breaking Capacity (I _{cs})	(800 V AC) 90 kA (900 V AC) 75 kA
Rated Short-time Withstand Current Low Voltage (I _{cw})	for 1 s 75 kA for 3 s 66 kA
Rated Ultimate Short- Circuit Breaking Capacity (I _{cu})	(800 V AC) 90 kA (900 V AC) 75 kA
Rated Uninterrupted Current (I _u)	3200 A
Release	Ekip Touch LSI
Release Type	EL
Remarks	E9
Short-Circuit Performance Level	H
Standards	IEC
Sub-type	E4.2
Terminal Connection Type	Rear flat Horizontal
Version	W

Certificates and Declarations	
Data Sheet, Technical Information	1SDC200023D0209
Declaration of Conformity - CE	9AKK107680A4889
Instructions and Manuals	1SDH001000R0002
Instructions and Manuals (Part 2)	1SDH001316R1002

Classifications

ETIM 7	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 8	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 9	EC000228 - Power circuit-breaker for trafo/generator/installation protection
Object Classification Code	Q
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
eClass	V11.1 : 27370409

Categories

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Emax 2

