



PRODUCT-DETAILS

E6.2H/E9 6300 Ekip Touch LSI 3p WMP 900V
E6.2H/E9 6300 Ekip Touch LSI 3p WMP 900V



General Information	
Extended Product Type	E6.2H/E9 6300 Ekip Touch LSI 3p WMP 900V
Product ID	1SDA104634R1
EAN	8015644067144
Catalog Description	E6.2H/E9 6300 Ekip Touch LSI 3p WMP 900V
Long Description	MOVING PART FOR C.BREAKER SACE EMAX2 E6.2H 6300 THREE-POLE WITH SOLID-STATE RELEASE IN AC EKIP/TOUCH-LSI R 6300 FITTED WITH: 4 AUXILIARY CONTACT AND C.BREAKER IN POSITION OPEN-CLOSED 900V

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental

Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
SCIP	bd1411a1-e45f-40ae-97ab-9bb76504c4fc Italy (IT)
Simplified SCIP	38ab328b-003a-4426-8a99-3d0f869509b3 Germany (DE) a1b603df-d72f-483f-9be9-faa96c84b829 Bulgaria (BG) 1a82eeca-05eb-408d-873a-cf84a7819de0 Sweden (SE) 40fb7189-8a3b-453a-991c-065b709b6908 Portugal (PT) 5d9f0348-fc19-4ae1-a394-c8054adb83b8 Greece (GR) 23fe476f-14b9-49cf-b6cd-b7273cf91e2c Spain (ES) fbea3ce0-2c02-4529-b092-7f1d3f361228 Belgium (BE) eb48959d-56a8-44d2-86b3-9d5f5eac1a4b Czech Republic (CZ) 561c2b25-e16c-4739-ad69-774fdb8718c0 Poland (PL) 78ff0cbe-c1d3-42ac-9474-a7ab7c635167 Netherlands (NL) 469c8c44-d8bf-402c-9f60-7aec23f8be3e Croatia (HR) 0860d641-4df0-46d2-8c0b-eacbf490e123 Denmark (DK) 204188e2-533c-440b-8a0b-24ca86055c59 Germany (DE) 67c7c375-5010-40fa-ba05-96168c920bea Germany (DE) 09ad1e56-ae25-4070-bc77-2493afc9dc4d Germany (DE) 2df0018a-5d9b-4d3e-81d4-dd69c430e03a Finland (FI) dc6bdd76-8447-4bd1-9b05-d74e182d8e9d France (FR) e02453fb-f9ab-42ae-838a-214bf02188ba Estonia (EE) 1f67b219-6f0b-4cd0-8a66-3dfa98d06952 Sweden (SE) 36f2c231-d5b2-4b70-acb5-ebf7899fe1b9 Belgium (BE) 6e076ca5-d3fc-466b-9218-f0166f24c956 Hungary (HU) 6cabb636-99bb-4e1b-bf52-1ae63091b19f Poland (PL) 709d06a4-edc7-40d5-b52f-7be775955a8d Poland (PL) 6f5f496c-7888-4c54-bb8a-8c653f677b53 Norway (NO) af60093d-8cf1-4ce2-b463-d9adf5b50c84 Germany (DE) d1b46047-9497-41d4-9126-ffe6ee71ff9b France (FR) 9a8c29d3-0596-450f-89cf-c466cdb61387 Hungary (HU)

Ordering

Order Code US and Canada	96HYETAE000A000000XX
EAN	8015644067144
Minimum Order Quantity	1 piece
Customs Tariff Number	85362090

Dimensions

Product Net Width	803 mm
Product Net Height	425 mm
Product Net Depth / Length	383 mm
Product Net Weight	120 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	515 mm
Package Level 1 Height	610 mm
Package Level 1 Depth / Length	1000 mm
Package Level 1 Gross Weight	129 kg
Package Level 1 EAN	8015644067144

Additional Information	
Current Type	AC
Electrical Durability	Ue = 900 V 1000 cycle 10 cycles per hour
Mechanical Durability	12000 cycle 60 cycles per hour
Number of Poles	3
Power Loss	1550 W
Product Main Type	SACE Emax 2
Product Name	Air Circuit Breaker
Product Type	Air Circuit Breaker
Rated Current (I _n)	6300 A
Rated Voltage (U _r)	900 V
Rated Impulse Withstand Voltage (U _{imp})	acc. to IEC 60947-2 12 kV
Rated Insulation Voltage (U _i)	AC 1000 V
Rated Operational Voltage	900 V AC
Rated Service Short- Circuit Breaking Capacity (I _{cs})	(800 V AC) 90 kA (900 V AC) 75 kA
Rated Short-time Withstand Current Low Voltage (I _{cw})	for 1 s 75 kA for 3 s 66 kA
Rated Ultimate Short- Circuit Breaking Capacity (I _{cu})	(800 V AC) 90 kA (900 V AC) 75 kA
Rated Uninterrupted Current (I _u)	6300 A
Release	Ekip Touch LSI
Release Type	EL
Remarks	E9
Short-Circuit Performance Level	H
Standards	IEC
Sub-type	E6.2
Terminal Connection Type	Rear flat Horizontal
Version	W

Certificates and Declarations	
Data Sheet, Technical Information	1SDC200023D0209
Declaration of Conformity - CE	9AKK107680A4890
Instructions and Manuals	1SDH001000R0002
Instructions and Manuals (Part 2)	1SDH001316R1002

Classifications

ETIM 7	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 8	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 9	EC000228 - Power circuit-breaker for trafo/generator/installation protection
Object Classification Code	Q
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
eClass	V11.1 : 27370409

Categories

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Emax 2

