



PRODUCT-DETAILS

XT5 W FP 630A 3p EF EF IEC/UL  
XT5 W FP 630A 3p EF EF IEC/UL



General Information

|                       |                                                                                               |
|-----------------------|-----------------------------------------------------------------------------------------------|
| Extended Product Type | XT5 W FP 630A 3p EF EF IEC/UL                                                                 |
| Product ID            | 1SDA104690R1                                                                                  |
| EAN                   | 8015644067823                                                                                 |
| Catalog Description   | XT5 W FP 630A 3p EF EF IEC/UL                                                                 |
| Long Description      | FIXED PART WITHDRAWABLE FOR C.BREAKER XT5 630 THREE-POLE WITH EXTENDED FRONT TERMINALS IEC/UL |

Circular Value

|                                             |                 |
|---------------------------------------------|-----------------|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658 |
| Toxic Substances Control Act - TSCA         | 9AKK108467A8326 |

Environmental

|                           |                 |
|---------------------------|-----------------|
| Environmental Information | 9AKK108467A6707 |
| REACH Declaration         | 9AKK108466A1425 |
| RoHS Information          | 9AKK108466A1424 |

RoHS Status Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

|                          |               |
|--------------------------|---------------|
| Order Code US and Canada | KXT5DWFPEF6-3 |
| E-Number (Finland)       | 3641390       |
| EAN                      | 8015644067823 |
| Minimum Order Quantity   | 1 piece       |
| Customs Tariff Number    | 85389099      |

Dimensions

|                    |         |
|--------------------|---------|
| Product Net Weight | 21.7 kg |
|--------------------|---------|

Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | box 1 piece   |
| Package Level 1 Width          | 360 mm        |
| Package Level 1 Height         | 340 mm        |
| Package Level 1 Depth / Length | 380 mm        |
| Package Level 1 Gross Weight   | 21.7 kg       |
| Package Level 1 EAN            | 8015644067823 |

Additional Information

|                                               |                                                 |
|-----------------------------------------------|-------------------------------------------------|
| Configuration Type                            | Loose or configurable                           |
| Number of Poles                               | 3                                               |
| Order Multiple                                | 1 piece                                         |
| Product Main Type                             | Accessories for Tmax XT                         |
| Product Name                                  | Accessory                                       |
| Product Type                                  | Fixed Part                                      |
| Rated Frequency (f)                           | 50 / 60 Hz                                      |
| Rated Operational Voltage                     | 600 V AC<br>600 V DC                            |
| Rated Uninterrupted Current (I <sub>u</sub> ) | 630 A<br>600 A                                  |
| Standards                                     | IEC60947-2<br>UL489                             |
| Sub-type                                      | XT5                                             |
| Suitable For                                  | XT5                                             |
| Suitable for Product Class                    | SACE Tmax XT                                    |
| Terminal Connection Type                      | Withdrawable Circuit-Breakers<br>Front Extended |
| Version                                       | W                                               |

Certificates and Declarations

|                                   |                                                             |
|-----------------------------------|-------------------------------------------------------------|
| Data Sheet, Technical Information | 1SDC210100D0206<br>1SDC210200D0206                          |
| Declaration of Conformity - CE    | Refer to the EU Declaration of the relative Circuit Breaker |
| Instructions and Manuals          | 2TFH000005A1001                                             |

| Classifications                    |                                                                     |                  |
|------------------------------------|---------------------------------------------------------------------|------------------|
| ETIM 7                             | EC002043 - Chassis part power circuit breaker                       |                  |
| ETIM 8                             | EC002043 - Chassis part power circuit breaker                       |                  |
| ETIM 9                             | EC002043 - Chassis part power circuit breaker                       |                  |
| IDEA Granular Category Code (IGCC) | 4932 >> 3 Pole Non-Interchangeable Trip Electronic Circuit Breakers |                  |
| UNSPSC                             |                                                                     | 39121616         |
| WEEE Category                      | 5. Small Equipment (No External Dimension More Than 50 cm)          |                  |
| eClass                             |                                                                     | V11.1 : 27370422 |

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax XT

