



PRODUCT-DETAILS

AUX 1S52 250V XT7

AUX 1S52 250V XT7



General Information	
Extended Product Type	AUX 1S52 250V XT7
Product ID	1SDA104811R1
EAN	8056221027052
Catalog Description	AUX 1S52 250V XT7
Long Description	1 CONTACT OPEN FOR TRIPPED INDICATION S52 V < 250V CA-CC XT7

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK108467A6707

REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

Order Code US and Canada	KXT7AUX2S52
EAN	8056221027052
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.048 kg
--------------------	----------

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	110 mm
Package Level 1 Height	60 mm
Package Level 1 Depth / Length	140 mm
Package Level 1 Gross Weight	0.05 kg
Package Level 1 EAN	8056221027052

Additional Information

Configuration Type	Loose or configurable
Current Type	AC/DC
Number of Auxiliary Contacts CO (SPDT)	1
Order Multiple	1 piece
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	Accessory
Standards	IEC60947-2 UL489
Suitable For	XT7
Suitable for Product Class	SACE Tmax XT

Certificates and Declarations

Data Sheet, Technical Information	1SDC210100D0206 1SDC210099D0206
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH002012A1605

Classifications		
ETIM 7	EC000041 - Auxiliary contact block	
ETIM 8	EC000041 - Auxiliary contact block	
ETIM 9	EC000041 - Auxiliary contact block	
IDEA Granular Category Code (IGCC)	4743 >> Auxiliary contact block	
UNSPSC	39121522	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
eClass	V11.1 : 27371302	

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax XT

