



PRODUCT-DETAILS

AUX S33 M/2 24V DC XT7M
AUX S33 M/2 24V DC XT7M

General Information	
Extended Product Type	AUX S33 M/2 24V DC XT7M
Product ID	1SDA104824R1
EAN	8015644069162
Catalog Description	AUX S33 M/2 24V DC XT7M
Long Description	SPRINGS CHARGED ELECTRICAL INDICATION V < 24V DC XT7M

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424

RoHS Status Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

Order Code US and Canada	KXTMAUXDS33M2
EAN	8015644069162
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.048 kg
--------------------	----------

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	110 mm
Package Level 1 Height	60 mm
Package Level 1 Depth / Length	140 mm
Package Level 1 Gross Weight	0.05 kg
Package Level 1 EAN	8015644069162

Additional Information

Configuration Type	Loose or configurable
Current Type	DC
Number of Auxiliary Contacts CO (SPDT)	1
Order Multiple	1 piece
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	Accessory
Standards	IEC60947-2 UL489
Suitable For	XT7M
Suitable for Product Class	SACE Tmax XT

Certificates and Declarations

Data Sheet, Technical Information	1SDC210100D0206 1SDC210099D0206
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH002013A1603

Classifications

ETIM 7	EC000041 - Auxiliary contact block
ETIM 8	EC000041 - Auxiliary contact block
ETIM 9	EC000041 - Auxiliary contact block
IDEA Granular Category Code (IGCC)	4743 >> Auxiliary contact block
UNSPSC	39121522

WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27371302

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax XT