



PRODUCT-DETAILS

FLD - XT5 F/P
FLD - XT5 F/P

General Information	
Extended Product Type	FLD - XT5 F/P
Product ID	1SDA104871R1
EAN	8015644069636
Catalog Description	FLD - XT5 F/P
Long Description	FRONT PANEL FOR FIXED-PLUG-IN CIRCUIT-BREAKER XT5

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424

RoHS Status Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

Order Code US and Canada	KXT5FLDFP
E-Number (Finland)	3642434
EAN	8015644069636
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.214 kg
--------------------	----------

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	105 mm
Package Level 1 Height	95 mm
Package Level 1 Depth / Length	150 mm
Package Level 1 Gross Weight	0.225 kg
Package Level 1 EAN	8015644069636

Additional Information

Configuration Type	Loose or configurable
Order Multiple	1 piece
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	Accessory
Standards	IEC60947-2
Suitable For	XT5
Suitable for Product Class	SACE Tamx XT

Certificates and Declarations

Data Sheet, Technical Information	1SDC210100D0206 1SDC210200D0206
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	2TFH000015A1001

Classifications

ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
IDEA Granular Category Code (IGCC)	5219 >> Switch part or accessory
UNSPSC	39122221
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27371390

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax XT