



PRODUCT-DETAILS

MOE XT5 380V AC

MOE XT5 380V AC



General Information	
Extended Product Type	MOE XT5 380V AC
Product ID	1SDA104887R1
EAN	8056221027151
Catalog Description	MOE XT5 380V AC
Long Description	MOTOR OPERATOR 380V AC XT5

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK108467A6707

REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

Order Code US and Canada	KXT5MOE380
EAN	8056221027151
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	1.16 kg
--------------------	---------

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	94 mm
Package Level 1 Height	106 mm
Package Level 1 Depth / Length	149 mm
Package Level 1 Gross Weight	1.21 kg
Package Level 1 EAN	8056221027151

Additional Information

Configuration Type	Loose or configurable
Current Type	AC
Order Multiple	1 piece
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	Accessory
Rated Voltage (U _r)	380 V AC
Standards	IEC60947-2 UL489
Suitable For	XT5
Suitable for Product Class	SACE Tamx XT

Certificates and Declarations

Data Sheet, Technical Information	1SDC210100D0206 1SDC210200D0206
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	2TFH000007A1001

Classifications		
ETIM 7	EC001030 - Motor operator for power circuit-breaker	
ETIM 8	EC001030 - Motor operator for power circuit-breaker	
ETIM 9	EC001030 - Motor operator for power circuit-breaker	
IDEA Granular Category Code (IGCC)	4872 >> Motor operator for power circuit-breaker	
UNSPSC	39121601	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
eClass	V11.1 : 27370412	

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax XT

