



PRODUCT-DETAILS

PB 6pcs XT5 4p KIT DI.PH.RE

PB 6pcs XT5 4p KIT DI.PH.RE



General Information	
Extended Product Type	PB 6pcs XT5 4p KIT DI.PH.RE
Product ID	1SDA105009R1
EAN	8015644071011
Catalog Description	PB 6pcs XT5 4p KIT DI.PH.RE
Long Description	KIT PARTITIONS DIV. PHASE REARS LOW FOR FIXED PART FOUR-POLE 6pcs XT5

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424

RoHS Status Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

Order Code US and Canada	KXT5PBFP-4
EAN	8015644071011
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.06 kg
--------------------	---------

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	145 mm
Package Level 1 Height	30 mm
Package Level 1 Depth / Length	250 mm
Package Level 1 Gross Weight	0.06 kg
Package Level 1 EAN	8015644071011

Additional Information

Configuration Type	Loose or configurable
Number of Poles	4
Order Multiple	1 piece
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	Accessory
Standards	IEC60947-2
Suitable For	XT5
Suitable for Product Class	SACE Tmax XT

Certificates and Declarations

Data Sheet, Technical Information	1SDC210100D0206 1SDC210200D0206
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	2TFH000036A1001

Classifications

ETIM 7	EC002273 - Phase barrier plate
ETIM 8	EC002273 - Phase barrier plate
ETIM 9	EC002273 - Phase barrier plate
IDEA Granular Category Code (IGCC)	4873 >> Phase separation plate for power circuit breaker
UNSPSC	39121601
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27400614

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax XT

