



PRODUCT-DETAILS

PLL XT5 PADLOCKS DEVICE OPEN

PLL XT5 PADLOCKS DEVICE OPEN



General Information	
Extended Product Type	PLL XT5 PADLOCKS DEVICE OPEN
Product ID	1SDA105099R1
EAN	8015644071912
Catalog Description	PLL XT5 PADLOCKS DEVICE OPEN
Long Description	PADLOCK DEVICE IN OPEN XT5

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK108467A6707

REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

Order Code US and Canada	KXT5PLLOP
EAN	8015644071912
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.06 kg
--------------------	---------

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	145 mm
Package Level 1 Height	20 mm
Package Level 1 Depth / Length	200 mm
Package Level 1 Gross Weight	0.063 kg
Package Level 1 EAN	8015644071912

Additional Information

Configuration Type	Loose or configurable
Order Multiple	1 piece
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	Accessory
Standards	IEC60947-2
Suitable For	XT5
Suitable for Product Class	SACE Tamx XT

Certificates and Declarations

Data Sheet, Technical Information	1SDC210100D0206 1SDC210200D0206
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	2TFH000037A1001

Classifications

ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology

ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
IDEA Granular Category Code (IGCC)	7344 >> Padlocks
UNSPSC	46171501
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27371390

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax XT

