



PRODUCT-DETAILS

# PLL XT5 REM.PADLOCKS DEVICE OPEN

## PLL XT5 REM.PADLOCKS DEVICE OPEN

General Information	
Extended Product Type	PLL XT5 REM.PADLOCKS DEVICE OPEN
Product ID	1SDA105100R1
EAN	8015644071929
Catalog Description	PLL XT5 REM.PADLOCKS DEVICE OPEN
Long Description	REMOVABLE PADLOCK DEVICE IN OPEN XT5

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK108467A6707

REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

### Ordering

Order Code US and Canada	KXT5PLLREM
EAN	8015644071929
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

### Dimensions

Product Net Weight	0.023 kg
--------------------	----------

### Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	0 mm
Package Level 1 Height	0 mm
Package Level 1 Depth / Length	0 mm
Package Level 1 Gross Weight	0.024 kg
Package Level 1 EAN	8015644071929

### Additional Information

Configuration Type	Loose or configurable
Order Multiple	1 piece
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	Accessory
Standards	IEC60947-2
Suitable For	XT5
Suitable for Product Class	SACE Tamx XT

### Certificates and Declarations

Data Sheet, Technical Information	1SDC210100D0205 1SDC210200D0205
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	2TFH000037A1001

### Classifications

ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology

ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27371390

---

## Categories

---

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax XT