



PRODUCT-DETAILS

MIR-P XT4 F x MIR-H/V XT5

MIR-P XT4 F x MIR-H/V XT5



General Information	
Extended Product Type	MIR-P XT4 F x MIR-H/V XT5
Product ID	1SDA105121R1
EAN	8056221027519
Catalog Description	MIR-P XT4 F x MIR-H/V XT5
Long Description	PLATE XT4 F FOR MECHANICAL INTERLOCK REAR HORIZONTAL/VERTICAL BETWEEN 2 C.BREAKERS XT4

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424

RoHS Status Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

Order Code US and Canada	KXT4MIRFXT5
EAN	8056221027519
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	2.7 kg
--------------------	--------

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	240 mm
Package Level 1 Height	85 mm
Package Level 1 Depth / Length	600 mm
Package Level 1 Gross Weight	3 kg
Package Level 1 EAN	8056221027519

Additional Information

Configuration Type	Loose or configurable
Order Multiple	1 piece
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	Accessory
Standards	IEC60947-2
Suitable For	XT4
Suitable for Product Class	SACE Tmax XT

Certificates and Declarations

Data Sheet, Technical Information	1SDC210100D0206 1SDC210099D0206
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	2TFH000032A1001

Classifications

ETIM 7	EC001044 - Mechanic interlock for switch
ETIM 8	EC001044 - Mechanic interlock for switch
ETIM 9	EC001044 - Mechanic interlock for switch
IDEA Granular Category Code (IGCC)	4416 >> Enclosure plates or covers
UNSPSC	39121302
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27371303

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax XT

