



 PRODUCT-DETAILS

E2.2H/E10 2500 Ekip Dip LSIG 3p FHR

E2.2H/E10 2500 Ekip Dip LSIG 3p FHR



General Information

Extended Product Type	E2.2H/E10 2500 Ekip Dip LSIG 3p FHR
Product ID	1SDA115925R1
EAN	8056221079952
Catalog Description	E2.2H/E10 2500 Ekip Dip LSIG 3p FHR
Long Description	C.BREAKER 1000V SACE EMAX2 E2.2H/E10 2500 FIXED THREE-POLE WITH TERMINALS REAR HORIZONTAL AND SOLID-STATE RELEASE IN AC EKIP/DIP-LSIG R 2500 FITTED WITH: 4 AUXILIARY CONTACT AND C.BREAKER IN POSITION OPEN-CLOSED

Circular Value

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental

Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
SCIP	db93315b-04f4-42f9-be22-32bb5fd30717 Italy (IT)
Simplified SCIP	9755bfb8-69b5-492a-972d-3b7e94ae3bcd Germany (DE) a9df87d1-fd50-474c-bde9-c3d49c5c2c33 Sweden (SE) 14fbf255-ca2f-4c17-8c9a-ea55ea18a720 Hungary (HU) 0c02b3c3-5735-4e3b-8bd2-a5d6734e9c18 France (FR) 6b9966a4-7cd4-45fc-908a-718e81a6014f Germany (DE) dc00c7bd-6bc6-402d-beeb-e8d27c00556f Germany (DE) ac833555-9d6b-49c3-91de-0d004ae60f3e Croatia (HR) ea7469c9-44f0-4861-b605-a3417e2fc70d Netherlands (NL) b431995d-e499-4baf-9629-4401641bb686 Czech Republic (CZ) a0b8cc1d-7a0f-4321-8cc1-0c0f97fabd2e Poland (PL) 25c93317-d5a3-4e14-8e0b-375cdfd8e9 Finland (FI) 48c116ce-1eac-4a2f-b602-6ea1b598af21 Estonia (EE) b903cc25-03a9-434c-ac4d-bdc3a40cfd9c France (FR) 49134beb-f917-4c3d-b34b-2a112b259dee Belgium (BE) 1fec6002-4c62-47b2-b0b7-8b46be04c5ed Sweden (SE) 668279a1-abfd-40b3-9d76-b5e0485b4ca6 Germany (DE) 3dc89814-83ac-4884-8fe8-9afdc1138898 Denmark (DK) 52e083e8-10e0-4f9b-9b9f-ccc7e87b4d01 Germany (DE) 91c6696d-ce02-440a-8e47-2b1af8e14f61 Poland (PL) 224bc271-6884-468d-ada5-6663f9f8a7e3 Norway (NO) da6a4f20-2945-4962-b3a1-2169b3de4d6a Hungary (HU) c5aecdc3-3470-4040-b1c9-f87c18d58b41 Poland (PL) 9f199a17-6f9b-4051-8f94-ced4e26f7880 Belgium (BE) 33ab4dc4-7cec-435d-a129-6103c98fb1be Spain (ES) 614c407c-3316-405e-bd5f-e2dda3948d04 Greece (GR) 7e3800c6-5528-4d43-a285-88f8c1875df3 Bulgaria (BG) 0b7cae4f-79d0-4b92-bde9-d262cd094523 Portugal (PT)

Ordering

EAN	8056221079952
Minimum Order Quantity	1 piece
Customs Tariff Number	85362090

Dimensions

Product Net Width	276 mm
Product Net Height	371 mm
Product Net Depth / Length	270 mm
Product Net Weight	41 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	515 mm
Package Level 1 Height	610 mm
Package Level 1 Depth / Length	515 mm
Package Level 1 Gross Weight	46 kg
Package Level 1 EAN	8056221079952

Additional Information

Current Type	AC
Electrical Durability	Ue = 1000 V AC 500 cycle 30 cycles per hour
Mechanical Durability	20000 cycle 60 cycles per hour
Number of Poles	3
Power Loss	267 W
Product Main Type	SACE Emax 2
Product Name	Air Circuit Breaker
Product Type	Air Circuit Breaker
Rated Current (I _n)	2500 A
Rated Voltage (U _r)	1000 V
Rated Insulation Voltage (U _i)	1000 V
Rated Operational Voltage	1000 V AC
Rated Service Short-Circuit Breaking Capacity (I _{cs})	1000 V AC 50 kA
Rated Short-time Withstand Current Low Voltage (I _{cw})	for 1 s 50 kA
Rated Ultimate Short-Circuit Breaking Capacity (I _{cu})	1000 V AC 50 kA
Release	Ekip Dip LSIG
Release Type	EL
Remarks	1000V
Short-Circuit Performance Level	N
Standards	IEC
Sub-type	E2.2
Terminal Connection Type	Rear flat Horizontal
Version	F

Certificates and Declarations

Data Sheet, Technical Information	1SDC200023D0209
Declaration of Conformity - CE	9AKK106713A5902
Instructions and Manuals	1SDH001000R0002

Classifications

ETIM 7	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 8	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 9	EC000228 - Power circuit-breaker for trafo/generator/installation protection
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
eClass	V11.1 : 27370409

Categories

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Emax 2

