




---

 PRODUCT-DETAILS

## E2.2H/E10 2500 Ekip Touch LSIG 3p FHR

## E2.2H/E10 2500 Ekip Touch LSIG 3p FHR




---

**General Information**

Extended Product Type	E2.2H/E10 2500 Ekip Touch LSIG 3p FHR
Product ID	1SDA115926R1
EAN	8056221079969
Catalog Description	E2.2H/E10 2500 Ekip Touch LSIG 3p FHR
Long Description	C.BREAKER 1000V SACE EMAX2 E2.2H/E10 2500 FIXED THREE-POLE WITH TERMINALS REAR HORIZONTAL AND SOLID-STATE RELEASE IN AC EKIP/TOUCH-LSIG R 2500 FITTED WITH: 4 AUXILIARY CONTACT AND C.BREAKER IN POSITION OPEN-CLOSED

---

**Circular Value**

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

---

**Environmental**

Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
SCIP	c5a72531-8790-41cb-9d78-0445a23f9510 Italy (IT)
Simplified SCIP	c7791d0b-843f-41ef-8831-404405e9c99f Germany (DE) eb7de713-0d9e-47ee-a2e3-e5b1a5ce30fd Belgium (BE) 7f5291e5-6100-4fa3-80e0-2e62fda498fe Poland (PL) 778f79bd-d24f-4fe3-9e1d-e1465dd60593 Sweden (SE) 80ec78de-5eb8-46cc-a79f-0e348f4ecfae Poland (PL) 3d098319-2853-4350-99d7-4f7e5476499e Norway (NO) 4a929192-ba06-47ee-aa8a-bc40e31313b2 France (FR) 2a844125-8bf0-4d42-ac39-18d7e96d9c0b Croatia (HR) e83b0c75-85af-4a6a-9b24-1b877fdad553 Finland (FI) 1c3d02b1-c44c-420d-b770-d79d4c1774f9 Sweden (SE) 5eceb795-8544-46d5-9b4a-efc386835957 Spain (ES) 52448f12-ccba-457b-a4dc-b5ea17282e74 Hungary (HU) 15ee2540-c920-4ddf-b16f-2440320b289e Germany (DE) 133df868-23fc-47f3-8a90-2945eff7f9bc France (FR) 9de377ab-3071-445b-b8c5-c3d1374412c0 Germany (DE) 846164a2-fb19-4af9-9a1d-6d9713fa081b Germany (DE) b36bdf74-bae4-4d67-9bd6-e77a630d98e0 Netherlands (NL) 89b962a3-abe8-48fc-9b4b-68c5a2f0ae33 Belgium (BE) 4172c5ef-bcc9-4971-9021-8d7a64cb1956 Czech Republic (CZ) fce53a71-2f62-4306-88c9-98952d1ec1b9 Poland (PL) e8a0c630-c381-4863-b06f-170144173a43 Hungary (HU) 8d28712c-f55c-4d54-ae1e-b593eecd468 Estonia (EE) 52449aa2-09a5-449a-abff-6e62ff08121d Greece (GR) 65084a2c-34f3-4c7c-a4f8-27fad1e367f6 Portugal (PT) 1c457bcf-a017-46b2-be86-55a2578c5c38 Bulgaria (BG) b992ea25-dd2e-4e16-9ab7-4053ca22971a Denmark (DK) 2f2480e3-ee64-43cf-b512-c8a407a96703 Germany (DE)

## Ordering

EAN	8056221079969
Minimum Order Quantity	1 piece
Customs Tariff Number	85362090

## Dimensions

Product Net Width	276 mm
Product Net Height	371 mm
Product Net Depth / Length	270 mm
Product Net Weight	41 kg

## Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	515 mm
Package Level 1 Height	610 mm
Package Level 1 Depth / Length	515 mm
Package Level 1 Gross Weight	46 kg
Package Level 1 EAN	8056221079969

## Additional Information

Current Type	AC
Electrical Durability	Ue = 1000 V AC 500 cycle 30 cycles per hour
Mechanical Durability	20000 cycle 60 cycles per hour
Number of Poles	3
Power Loss	267 W
Product Main Type	SACE Emax 2
Product Name	Air Circuit Breaker
Product Type	Air Circuit Breaker
Rated Current (I <sub>n</sub> )	2500 A
Rated Voltage (U <sub>r</sub> )	1000 V
Rated Insulation Voltage (U <sub>i</sub> )	1000 V
Rated Operational Voltage	1000 V AC
Rated Service Short-Circuit Breaking Capacity (I <sub>cs</sub> )	1000 V AC 50 kA
Rated Short-time Withstand Current Low Voltage (I <sub>cw</sub> )	for 1 s 50 kA
Rated Ultimate Short-Circuit Breaking Capacity (I <sub>cu</sub> )	1000 V AC 50 kA
Release	Ekip Touch LSIG
Release Type	EL
Remarks	1000V
Short-Circuit Performance Level	N
Standards	IEC
Sub-type	E2.2
Terminal Connection Type	Rear flat Horizontal
Version	F

## Certificates and Declarations

Data Sheet, Technical Information	1SDC200023D0209
Declaration of Conformity - CE	9AKK106713A5902
Instructions and Manuals	1SDH001000R0002

## Classifications

ETIM 7	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 8	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 9	EC000228 - Power circuit-breaker for trafo/generator/installation protection
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
eClass	V11.1 : 27370409

---

## Categories

---

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Emax 2

