



PRODUCT-DETAILS

ZLBM2-3P-M12

ZLBM2-3P-M12 Fuse switch disconnecter



General Information	
Extended Product Type	ZLBM2-3P-M12
Product ID	1SEP620012R3000
EAN	7025840088318
Catalog Description	ZLBM2-3P-M12 Fuse switch disconnecter
Long Description	ZLBM2-3P-M12 Fuse switch disconnecter

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	1SCC011021D0201
RoHS Information	1SCC011020D0201

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Country of Origin	Bulgaria (BG)
-------------------	---------------

Popular Downloads	
Data Sheet, Technical Information	1SEC312023D0201
Instructions and Manuals	9AKK107991A1277
Mechanical Drawings	9AKK107991A5838
	9AKK107991A5839
	9AKK106103A4262
	9AKK106103A4261

Dimensions	
Product Frame Size	Low
Product Net Width	99 mm
Product Net Height	662 mm
Product Net Depth / Length	185 mm
Product Net Weight	4.13 kg

Technical	
Rated Operational Current AC-20B	(690 V) 400 A
	(500 V) 400 A
	(400 V) 400 A
	(800 V) 400 A
Rated Operational Current AC-21B (I _e)	(690 V) 400 A
	(500 V) 400 A
	(400 V) 400 A
	(800 V) 400 A
Rated Operational Current AC-22B (I _e)	(400 V) 400 A
	(500 V) 400 A
	(800 V) 400 A
	(1000 V) 400 A
Rated Operational Current AC-23B (I _e)	(400V) 400 A
Rated Impulse Withstand Voltage (U _{imp})	Main Circuit 8 kV
Rated Insulation Voltage (U _i)	1000 V
Rated Operational Voltage	Main Circuit 1000 V AC
Power Loss	at Rated Load 55.5 W
Handle Type	3P
Distance Between Phases	185 mm
Fuse Size	NH2
Fuse System	DIN
Standards	IEC60947-3
Number of Poles	3
Degree of Protection	Front IP30
Terminal Type	Bolt
Device Type Manager (DTM)	Fuseswitchdisconnector
Rated Current (I _n)	Main Circuit 400 A

Electronic Fuse Monitoring	No
----------------------------	----

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20201211

Certificates and Declarations

Declaration of Conformity - CE	1SEP500046P0001
REACH Declaration	1SCC011021D0201

Container Information

Package Level 1 Units	shrink-wrap 1 piece
Package Level 1 Width	99 mm
Package Level 1 Depth / Length	185 mm
Package Level 1 Height	662 mm
Package Level 1 Gross Weight	4.3 kg
Package Level 1 EAN	7025840088318

Classifications

ETIM 7	EC001040 - Fuse switch disconnectors
ETIM 8	EC001040 - Fuse switch disconnectors
ETIM 9	EC001040 - Fuse switch disconnectors
eClass	V11.1 : 27371401
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
E-Number (Finland)	3660408

Categories

Low Voltage Products and Systems → Fusegear → Fuse Switch Disconnectors → Inline II

