



PRODUCT-DETAILS

ZLBM00-100-3P-M8

ZLBM00-100-3P-M8 Fuse switch disconnecter



General Information

Extended Product Type	ZLBM00-100-3P-M8
Product ID	1SEP620150R3000
EAN	7025840090519
Catalog Description	ZLBM00-100-3P-M8 Fuse switch disconnecter
Long Description	ZLBM00-100-3P-M8 Fuse switch disconnecter

Circular Value

Circular Design Principles	Design for Closing Resource Loops - Standard EN45555 - 94.3 %
Recyclability Rate	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Environmental Product Declaration - EPD	9AKK108469A0964
REACH Declaration	1SCC011021D0201
RoHS Information	1SCC011020D0201

Eco Transparency

Environmental Product Declaration - EPD	9AKK108469A0964
---	-----------------

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389099
Country of Origin	Bulgaria (BG)

Popular Downloads

Data Sheet, Technical Information	1SEC312023D0201
Instructions and Manuals	9AKK107680A2425
Environmental Product Declaration - EPD	9AKK108469A0964

Dimensions

Product Frame Size	Low
Product Net Width	49 mm
Product Net Height	409 mm
Product Net Depth / Length	124 mm
Product Net Weight	1.04 kg

Technical

Rated Operational Current AC-20B	(690 V) 125 A (500 V) 160 A (800 V) 63 A
Rated Operational Current AC-21B (I _e)	(690 V) 125 A (500 V) 160 A (800 V) 63 A
Rated Operational Current AC-22B (I _e)	(500 V) 160 A (690 V) 125 A (800 V) 125 A
Rated Operational Current AC-23B (I _e)	(500 V) 160 A
Rated Impulse Withstand Voltage (U _{imp})	Main Circuit 8 kV
Rated Insulation Voltage (U _i)	1000 V
Rated Operational Voltage	Main Circuit 800 V AC
Power Loss	at Rated Load 33.6 W
Handle Type	3P
Distance Between Phases	100 mm
Fuse Size	NH00
Fuse System	DIN
Standards	IEC60947-3
Number of Poles	3
Degree of Protection	Front IP30
Terminal Type	Bolt
Device Type Manager (DTM)	Fuseswitchdisconnect
Rated Current (I _n)	Main Circuit 160 A
Electronic Fuse Monitoring	No

Environmental	
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20201211

Certificates and Declarations	
Declaration of Conformity - CE	1SEP500046P0001
REACH Declaration	1SCC011021D0201

Container Information	
Package Level 1 Units	shrink-wrap 1 piece
Package Level 1 Width	49 mm
Package Level 1 Depth / Length	124 mm
Package Level 1 Height	409 mm
Package Level 1 Gross Weight	1.04 kg
Package Level 1 EAN	7025840090519

Classifications	
ETIM 7	EC001040 - Fuse switch disconnectors
ETIM 8	EC001040 - Fuse switch disconnectors
ETIM 9	EC001040 - Fuse switch disconnectors
eClass	V11.1 : 27371401
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories	
Low Voltage Products and Systems → Fusegear → Fuse Switch Disconnectors → Inline II	

