

PRODUCT-DETAILS

WB1SL0820A00 WB1SL0820A00 Junction Box Surface mounting General



General Information	
Extended Product Type	WB1SL0820A00
Product ID	1SL0820A00
EAN	8000126233308
Catalog Description	WB1SL0820A00 Junction Box Surface mounting General
Long Description	IP55-CABLE GLLOW LID-105X70X50-1/4 TS - GWT 650°C

Technical	
Application	General
Suitable For	IP44-IP55-IP65 junction boxes in thermoplastic material
Rated Insulation Voltage (U_i)	1500 V
Number of Conduit Inlets	6
Cover Mounting Type	Screw
Mounting Type	Surface mounting
Product Type	IP44-55-65
Screw Type	Plastic
Shape	Rectangular
Surface Finishing	Untreated

WB1SL0820A00 2/3

Enclosure Material	thermoplastic
Material	Plastic
Cover Style	Blind Cover
RAL Number	RAL 7035 - Light Grey
Color	arey
Material Compliance	
RoHS Information	9AKK108468A2381
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20221015
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Environmental	
Degree of Protection	IP55
Protection Class	Isolated (Class II)
Environmental Information	1SLC001001D0905
Dimensions	
Product Net Width	105 mm
Product Net Weight	70 mm
Product Net Depth /	50 mm
Length	33
Product Net Weight	0.139 kg
Ordering	
Package Level 1 Units	box 70 piece
Package Level 1 Gross Weight	9.76 kg
E-Number (Finland)	3411000
Certificates and Declarations	
Declaration of Conformity	9AKK108468A2381
- CE	5,44,166,130, 250
Installation	
Instructions and Manuals	No document needed
and the state of t	THE COSMISSION SECTION
Popular Downloads	
Data Sheet, Technical Information	9AKK107991A8329
Classifications	
ETIM 8	EC002600 - Box/housing for surface mounting on the wall/ceiling

WB1SL0820A00 3/3

ETIM 9	EC002600 - Box/housing for surface mounting on the wall/ceiling
WEEE Category	Product Not in WEEE Scope
eClass	V11.0 : 27144401
Object Classification Code	U

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Enclosures \rightarrow Installation\ Material \rightarrow Junction\ Boxes \rightarrow Surface\ Mounted$





