

PRODUCT-DETAILS

WB1SL0820A00 WB1SL0820A00 Junction Box Surface mounting General



General Information	
General information	
Extended Product Type	WB1SL0820A00
Product ID	1SL0834A00
EAN	8000126233780
Catalog Description	WB1SL0820A00 Junction Box Surface mounting General
Long Description	IP55-CABLE GL-HIGH LID-310X240X160-1/4TS - GWT 650°C

Technical	
Application	General
Suitable For	IP44-IP55-IP65 junction boxes in thermoplastic material
Rated Insulation Voltage (U_i)	1500 V
Number of Conduit Inlets	10
Cover Mounting Type	Screw
Mounting Type	Surface mounting
Product Type	IP44-55-65
Screw Type	Plastic
Shape	Rectangular
Surface Finishing	Untreated

WB1SL0820A00 2/3

Enclosure Material	thermoplastic
Material	Plastic
Cover Style	Blind Cover
RAL Number	RAL 7035 - Light Grey
Color	grey
Material Compliance	0.1/1/4.00.400.400.400.400
RoHS Information	9AKK108468A2381
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date Conflict Minerals	20221015 9AKK108468A3363
Reporting Template (CMRT)	3AKK100400A3303
Environmental	
Degree of Protection	IP55
Protection Class	Isolated (Class II)
Environmental Information	1SLC001001D0905
Dimensions	
Product Net Width	310 mm
Product Net Height	240 mm
Product Net Depth /	160 mm
Length	
Product Net Weight	1.4 kg
Ordering	
Package Level 1 Units	box 4 piece
Package Level 1 Gross Weight	5.6 kg
E-Number (Finland)	3411020
Certificates and Declarations	
Declaration of Conformity - CE	9AKK108468A2381
- OL	
Installation	
Instructions and Manuals	No document needed
Popular Downloads	
Data Sheet, Technical	9AKK107991A8329
Information	
Classifications	
ETIM 8	EC002600 - Box/housing for surface mounting on the wall/ceiling

WB1SL0820A00 3/3

ETIM 9	EC002600 - Box/housing for surface mounting on the wall/ceiling
WEEE Category	Product Not in WEEE Scope
eClass	V11.0 : 27144401
Object Classification Code	11

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Enclosures \rightarrow Installation\ Material \rightarrow Junction\ Boxes \rightarrow Surface\ Mounted$











